

Product Name: Troglitazone

Catalog No.: 3114


Batch No.: 6

CAS Number: 97322-87-7

IUPAC Name: 5-[[4-[(3,4-Dihydro-6-hydroxy-2,5,7,8-tetramethyl-2H-1-benzopyran-2-yl)methoxy]phenyl]methyl]-2,4-thiazolidinedione

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₄H₂₇NO₅S.
Batch Molecular Weight: 441.54
Physical Appearance: White solid
Solubility: DMSO to 100 mM
Storage: Store at -20°C
Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: Shows 99.0% purity
¹H NMR: Consistent with structure
Mass Spectrum: Consistent with structure
Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	65.29	6.16	3.17
Found	65.03	6.04	3.08

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Troglitazone

Catalog No.: 3114

Batch No.: 6

CAS Number: 97322-87-7

IUPAC Name: 5-[[4-[(3,4-Dihydro-6-hydroxy-2,5,7,8-tetramethyl-2H-1-benzopyran-2-yl)methoxy]phenyl]methyl]-2,4-thiazolidinedione

Description:

Troglitazone is a selective PPAR γ receptor agonist (EC₅₀ values are 780 and 555 nM at murine and human PPAR γ receptors respectively). Displays no activity at PPAR α or PPAR δ receptors. Antidiabetic agent; exerts potent glucose-lowering effects in insulin-resistant diabetic mice. Displays anti-invasive effect on human breast cancer cells; reduces migration, adhesion and spreading on fibronectin-coated plates. Also inhibits cell growth of hematopoietic cell lines. Inhibits lamellipodia formation and actin polymerization.

Physical and Chemical Properties:


Batch Molecular Formula: C₂₄H₂₇NO₅S.

Batch Molecular Weight: 441.54

Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Kodera et al (2000) Ligand type-specific interactions of peroxisome-proliferator-activated receptor γ with transcriptional coactivators. *J.Biol.Chem.* **275** 33201. PMID: 10944516.

Willson et al (2000) The PPARs: from orphan receptors to drug discovery. *J.Med.Chem.* **43** 527. PMID: 10691680.

Fujimura et al (1998) Effects of troglitazone on the growth and differentiation of hematopoietic cell lines. *Int.J.Oncol.* **13** 1263. PMID: 9824642.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956