



Certificate of Analysis

www.tocris.com

Product Name: Mitomycin C Catalog No.: 3258 Batch No.: 4

50-07-7 CAS Number: EC Number: 200-008-6

IUPAC Name: $[1aS-(1a\alpha,8\beta,8a\alpha,8b\alpha)]$ -6-Amino-8-[[(aminocarbonyl)oxy]methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-

methylazirino[2',3':3,4]pyrrolo[1,2-a]indole-4,7-dione

1. PHYSICAL AND CHEMICAL PROPERTIES

 $C_{15}H_{18}N_4O_5.\frac{1}{2}H_2O$ **Batch Molecular Formula:**

Batch Molecular Weight: 343.34 **Physical Appearance:** Purple solid

Solubility: water to 1 mM

DMSO to 100 mM

Storage: Store at +4°C

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.7% purity

¹H NMR: Consistent with structure Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

> Theoretical 52.47 5.58 16.32 Found 52.24 5.37 16.07

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Tel: +44 (0)1235 529449 www.tocris.com/distributors Tel:+1 612 379 2956



Product Information

Print Date: Aug 7th 2023

www.tocris.com

Product Name: Mitomycin C Catalog No.: 3258 4

CAS Number: 50-07-7 EC Number: 200-008-6

IUPAC Name: $[1aS-(1a\alpha,8\beta,8a\alpha,8b\alpha)]-6-Amino-8-[[(aminocarbonyl)oxy]methyl]-1,1a,2,8,8a,8b-hexahydro-8a-methoxy-5-$

methylazirino[2',3':3,4]pyrrolo[1,2-a]indole-4,7-dione

Description:

Mitomycin C is an antibiotic and antitumor agent. Covalently binds DNA forming intra- and interstrand crosslinks. Inhibits DNA synthesis. Also used for MEF/STO feeder layer preparation in stem cell culture.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₅H₁₈N₄O₅.½H₂O

Batch Molecular Weight: 343.34 Physical Appearance: Purple solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at +4°C

CAUTION - This product is light sensitive and we recommend that the solid material and any solutions obtained are protected from exposure to light.

Solubility & Usage Info:

water to 1 mM DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Park et al (2016) Modeling and correction of structural variations in patient-derived iPSCs using CRISPR/Cas9. Nat.Protoc. 11 2154. PMID: 27711053.

Bryja et al (2006) Derivation of mouse embryonic stem cells. Nat. Protoc. 1 2082. PMID: 17487198.

Bizanek et al (1992) Isolation and structure of an intrastrand cross-link adduct of mito. C and DNA. Biochemistry 31 3084. PMID: 1554696.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Tel: +44 (0)1235 529449 www.tocris.com/distributors Tel:+1 612 379 2956