

Product Name: LRGILS-NH₂

Catalog No.: 3394

Batch No.: 4

CAS Number: 245329-01-5

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₉H₅₆N₁₀O₇
Batch Molecular Weight: 656.83
Physical Appearance: White lyophilised solid
Net Peptide Content: 70.9%
Counter Ion: TFA
Solubility: Soluble to 2 mg/ml in water
Storage: Store at -20°C
Peptide Sequence: Leu-Arg-Gly-Ile-Leu-Ser-NH₂

2. ANALYTICAL DATA

HPLC: Shows 95.9% purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid Theoretical		Actual		Amino Acid Theoretical		Actual	
Ala				Lys			
Arg	1.00	1.00	Met				
Asx			Phe				
Cys			Pro				
Glx			Ser	1.00	1.00		
Gly	1.00	1.00	Thr				
His			Trp				
Ile	1.00	0.95	Tyr				
Leu	2.00	2.12	Val				

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel: +1 612 379 2956

Product Name: LRGILS-NH₂**Catalog No.:** 3394**Batch No.:** 4

CAS Number: 245329-01-5

Description:

Reversed amino acid sequence control peptide for SLIGRL-NH₂, a protease-activated receptor-2 (PAR₂) agonist that facilitates gastrointestinal transit in vivo. Active Analog also available.

Physical and Chemical Properties:Batch Molecular Formula: C₂₉H₅₆N₁₀O₇

Batch Molecular Weight: 656.83

Physical Appearance: White lyophilised solid

Peptide Sequence:Leu-Arg-Gly-Ile-Leu-Ser-NH₂**Storage:** Store at -20°C**Solubility & Usage Info:**

Soluble to 2 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Net Peptide Content: 70.9% (Remaining weight made up of counterions and residual water).**Counter Ion:** TFA**Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Devlin *et al* (2007) Initial support for the hypothesis that PAR2 is involved in the immune response to *Nippostrongylus brasiliensis* in mice. *Parasitol.Res.* **101** 105. PMID: 17458579.

Nishikawa *et al* (2005) Protease-activated receptor-2 (PAR-2)-related peptides induce tear secretion in Rats: Involvement of PAR-2 and non-PAR-2 mechanisms. *J.Pharmacol.Exp.Ther.* **312** 324. PMID: 15331653.

Tognetto *et al* (2000) Evidence that PAR-1 and PAR-2 mediate prostanoid-dependent contraction in isolated guinea-pig gallbladder. *Br.J.Pharmacol.* **131** 689. PMID: 11030717.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956