NH<sub>2</sub>

2HCI

## **Certificate of Analysis**

#### Product Name: Histamine dihydrochloride

CAS Number: 56-92-8 IUPAC Name: 2-(4-Imidazolyl)ethylamine dihydrochloride

## 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula: Batch Molecular Weight: Physical Appearance:** Solubility:

TOCRIS

a **biotechne** br

 $C_5H_9N_3.2HCI$ 184.07 White solid water to 100 mM DMSO to 100 mM Desiccate at RT

Ν

Storage: **Batch Molecular Structure:** 

2. ANALYTICAL DATA

Mass Spectrum:

<sup>1</sup>H NMR:

Consistent with structure Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

| bio-techne.com                                    | North America       | China  | Europe Middle East Africa | Rest of World                                      |
|---|---------------------|--|---------------------------|--|
| info@bio-techne.com<br>techsupport@bio-techne.com | Tel: (800) 343 7475 | info.cn@bio-techne.com<br>Tel: +86 (21) 52380373 | Tel: +44 (0)1235 529449   | www.tocris.com/distributors<br>Tel:+1 612 379 2956 |

## www.tocris.com

Catalog No.: 3545 EC Number: 200-298-4 Batch No.: 2

# TOCRIS a biotechne brand

## **Product Information**

## www.tocris.com

Print Date: Jan 8th 2021

Batch No.: 2

## Product Name: Histamine dihydrochloride

CAS Number: 56-92-8 IUPAC Name: 2-(4-Imidazolyl)ethylamine dihydrochloride


## **Description:**

Endogenous agonist at histamine receptors ( $H_{1-4}$ ). Released from mast cells and basophils and exhibits inflammatory, vasodilatory and bronchoconstrictory activity. Stimulates gastric acid secretion and acts as a neurotransmitter in vivo.

## **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>5</sub>H<sub>9</sub>N<sub>3</sub>.2HCl Batch Molecular Weight: 184.07 Physical Appearance: White solid

**Batch Molecular Structure:** 



Storage: Desiccate at RT

Solubility & Usage Info: water to 100 mM

DMSO to 100 mM

**Stability and Solubility Advice:** 

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a  $45-60^{\circ}C$  water bath).

Catalog No.: 3545

EC Number: 200-298-4

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### **References:**

**Thurmond** *et al* (2008) The role of histamine  $H_1$  and  $H_4$  receptors in allergic inflammation: the search for new antihistamines. Nat.Rev.Drug Discov. **7** 41. PMID: 18172439.

Maintz and Novak (2007) Histamine and histamine intolerance. Am.J.Clin.Nutr. 85 1185. PMID: 17490952.

Hill et al (1997) International union of pharmacology. XIII. Classification of histamine receptors. Pharmacol.Rev. 49 253. PMID: 9311023.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

| bio-techne.com                                    | North America       | China  | Europe Middle East Africa | Rest of World                                      |
|---|---------------------|--|---------------------------|--|
| info@bio-techne.com<br>techsupport@bio-techne.com | Tel: (800) 343 7475 | info.cn@bio-techne.com<br>Tel: +86 (21) 52380373 | Tel: +44 (0)1235 529449   | www.tocris.com/distributors<br>Tel:+1 612 379 2956 |