

Certificate of Analysis

www.tocris.com

Product Name: DADLE
CAS Number: 63631-40-3

Catalog No.: 3790 **Batch No.:** 4

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₉H₃₉N₅O₇
Batch Molecular Weight: 569.66
Physical Appearance: White lyophilised solid
Counter Ion: TFA
Solubility: Soluble to 1 mg/ml in water
Storage: Store at -20°C
Peptide Sequence: Tyr-D-Ala-Gly-Phe-D-Leu

2. ANALYTICAL DATA

HPLC: Shows 97.9% purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid		Theoretical	Actual	Amino Acid		Theoretical	Actual
Ala		1.00	0.97	Lys			
Arg				Met			
Asx				Phe	1.00	0.99	
Cys				Pro			
Glx				Ser			
Gly	1.00	1.04		Thr			
His				Trp			
Ile				Tyr	1.00	1.02	
Leu	1.00	0.98		Val			

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com
info@bio-techne.com
techsupport@bio-techne.com

North America
Tel: (800) 343 7475

China
info.cn@bio-techne.com
Tel: +86 (21) 52380373

Europe Middle East Africa
Tel: +44 (0)1235 529449

Rest of World
www.tocris.com/distributors
Tel: +1 612 379 2956

Product Name: DADLE

Catalog No.: 3790

Batch No.: 4

CAS Number: 63631-40-3

Description:

DADLE is a prototypical δ -opioid receptor agonist that also displays activity at the μ -opioid receptor. Displays antinociceptive activity in vivo.

Physical and Chemical Properties:

Batch Molecular Formula: C₂₉H₃₉N₅O₇

Batch Molecular Weight: 569.66

Physical Appearance: White lyophilised solid

Peptide Sequence:

Tyr-D-Ala-Gly-Phe-D-Leu

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Ke et al (2009) Delta opioid agonist [D-Ala², D-Leu⁵] enkephalin (DADLE) reduced oxygen-glucose deprivation caused neuronal injury through the MAPK pathway. *Brain Res.* **1292** 100. PMID: 19619518.

Mulder et al (1991) Pharmacological profile of various κ -agonists at κ -, μ - and δ -opioid receptors mediating presynaptic inhibition of neurotransmitter release in the rat brain. *Br.J.Pharmacol.* **102** 518. PMID: 1673074.

Suh and Tseng (1990) Different types of opioid receptors mediating analgesia induced by morphine, DAMGO, DPDPE, DADLE and beta-endorphin in mice. *Naunyn-Schmied.Arch.Pharmacol.* **342** 67.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956