



Certificate of Analysis

www.tocris.com

Product Name: iCRT 14 Catalog No.: 4299 Batch No.: 2

CAS Number: 677331-12-3

IUPAC Name: 5-[[2,5-Dimethyl-1-(3-pyridinyl)-1*H*-pyrrol-3-yl]methylene]-3-phenyl-2,4-thiazolidinedion

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{21}H_{17}N_3O_2S$.

Batch Molecular Weight: 375.44

Physical Appearance: Yellow solid

Solubility: DMSO to 75 mM

ethanol to 5 mM

Storage: Store at +4°C

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.1% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 67.18 4.56 11.19 Found 67.17 4.38 11.07

529449 www.tocris.com/distributors Tel:+1 612 379 2956



Product Information

Print Date: Oct 11th 2024

www.tocris.com

Product Name: iCRT 14 Catalog No.: 4299 2

CAS Number: 677331-12-3

IUPAC Name: 5-[[2,5-Dimethyl-1-(3-pyridinyl)-1*H*-pyrrol-3-yl]methylene]-3-phenyl-2,4-thiazolidinedion

Description:

iCRT 14 is a potent inhibitor of β -catenin-responsive transcription (CRT) (IC50 = 40.3 nM in assays of Wnt pathway activity). Thought to directly influence the interaction between β -catenin and TCF4. Induces marked G_0/G_1 cell cycle arrest in HCT-116 and HT29 cell lines. Also acts as transfection enhancer; enhances transgene expression in PC-3 cells by 16 to 35-fold using nonviral systems.


Physical and Chemical Properties:

Batch Molecular Formula: $C_{21}H_{17}N_3O_2S$.

Batch Molecular Weight: 375.44 Physical Appearance: Yellow solid

Minimum Purity: ≥98%

Batch Molecular Structure:



Storage: Store at +4°C

Solubility & Usage Info:

DMSO to 75 mM ethanol to 5 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Spivack et al (2021) Enhancement of transgene expression by the β-catenin inhibitor iCRT14. Plasmid. PMID: 33472046.

Gonsalves *et al* (2011) An RNAi-based chemical genetic screen identifies three small-molecule inhibitors of the Wnt/wingless signaling pathway. Proc.Natl.Acad.Sci.USA *108* 5954. PMID: 21393571.

Watanabe and Dai (2011) Winning WNT: race to Wnt signaling inhibitors. Proc.Natl.Acad.Sci.USA 108 5929. PMID: 21451134.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use