



# **Certificate of Analysis**

www.tocris.com

Product Name: AMG 21629 Catalog No.: 4330 Batch No.: 1

CAS Number: 939040-79-6

IUPAC Name: 3-Amino-5-[[2-[(2-methoxyethyl)amino]-6-[4-(trifluoromethyl)phenyl]-4-pyrimidinyl]oxy]-2(1*H*)-quinoxalinone

# 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:**  $C_{22}H_{19}F_3N_6O_3$ 

Batch Molecular Weight: 472.42

Physical Appearance: White solid

Solubility: DMSO to 50 mM Storage: Store at -20°C

**Batch Molecular Structure:** 

# 2. ANALYTICAL DATA

**TLC:** R<sub>f</sub> = 0.13 (Ethyl acetate:Petroleum ether [1:1])

**HPLC:** Shows 97% purity

<sup>1</sup>H NMR: Consistent with structure Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 55.93 4.05 17.79 Found 55.92 4.09 17.38

Tel: +44 (0)1235 529449 www.tocris.com/distributors Tel:+1 612 379 2956

# **Product Information**

Print Date: Mar 12th 2024

www.tocris.com

Product Name: AMG 21629 Catalog No.: 4330 1

CAS Number: 939040-79-6

IUPAC Name: 3-Amino-5-[[2-[(2-methoxyethyl)amino]-6-[4-(trifluoromethyl)phenyl]-4-pyrimidinyl]oxy]-2(1*H*)-quinoxalinone

### **Description:**

AMG 21629 is a potent and selective TRPV1 antagonist. Blocks Ca²+ uptake by CHO cells expressing TRPV1 receptors (IC $_{50}$  values are 0.6 and 0.8 nM for capsaicin (Cat. No. 0462) and acid-induced Ca²+ uptake, respectively). Exhibits >4000-fold selectivity for TRPV1 over other TRP channels. Blocks capsaicin-induced flinch response and causes hyperthermia in rats. Orally available and non-CNS penetrant.

### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>22</sub>H<sub>19</sub>F<sub>3</sub>N<sub>6</sub>O<sub>3</sub>

Batch Molecular Weight: 472.42 Physical Appearance: White solid

# **Minimum Purity**: ≥97%

**Batch Molecular Structure:** 

# 

Storage: Store at -20°C

# Solubility & Usage Info:

DMSO to 50 mM

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

## Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. \*Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

### References:

**Tamayo** et al (2008) Design and synthesis of peripherally restricted transient receptor potential vanilloid 1 (TRPV1) antagonists. J.Med.Chem. **51** 2744. PMID: 18386885.

**Gavva** *et al* (2007) The vanilloid receptor TRPV1 is tonically activated *in vivo* and involved in body temperature regulation. J.Neurosci. **27** 3366. PMID: 17392452.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use