

# **Certificate of Analysis**

Print Date: May 29th 2019

www.tocris.com

Product Name: Fatostatin A Catalog No.: 4444 Batch No.: 2

CAS Number: 298197-04-3

IUPAC Name: 4-[4-(4-Methylphenyl)-2-thiazolyl]-2-propylpyridine hydrobromide

# 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>18</sub>H<sub>18</sub>N<sub>2</sub>S.HBr

**Batch Molecular Weight:** 375.33

Physical Appearance: Yellow solid

**Solubility:** DMSO to 20 mM

ethanol to 10 mM with gentle warming

Storage: Store at +4°C

**Batch Molecular Structure:** 

## 2. ANALYTICAL DATA

**HPLC:** Shows 99.3% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 57.6 5.1 7.46 Found 57.7 5.07 7.47



# **Product Information**

Print Date: May 29th 2019

www.tocris.com

Product Name: Fatostatin A Catalog No.: 4444 Batch No.: 2

CAS Number: 298197-04-3

IUPAC Name: 4-[4-(4-Methylphenyl)-2-thiazolyl]-2-propylpyridine hydrobromide

### **Description:**

Inhibitor of sterol regulatory element binding protein (SREBP); impairs the activation of SREBP-1 and SREBP-2. Exhibits antiproliferative effects in DU 145 cells independently of IGF-1 signaling (IC $_{50}$  = 0.1  $\mu$ M); reverses hyperglycemia in diabetic (ob/ob) mice. Cell permeable.

# Physical and Chemical Properties:

Batch Molecular Formula: C<sub>18</sub>H<sub>18</sub>N<sub>2</sub>S.HBr

Batch Molecular Weight: 375.33 Physical Appearance: Yellow solid

Minimum Purity: > 97%

#### **Batch Molecular Structure:**

Storage: Store at +4°C

### Solubility & Usage Info:

DMSO to 20 mM

ethanol to 10 mM with gentle warming

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

### References:

**Kamisuki** et al (2009) A small molecule that blocks fat synthesis by inhibiting the activation of SREBP. Chem.Biol. **16** 882. PMID: 19716478.

**Choi** *et al* (2003) Identification of bioactive molecules by adipogenesis profiling of organic compounds. J.Biol.Chem. **278** 7320. PMID: 12496288.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use