

Certificate of Analysis

Print Date: Dec 16th 2022

www.tocris.com

Product Name: TC-I 15 Catalog No.: 4527 Batch No.: 4

CAS Number: 916734-43-5

IUPAC Name: N-[[(4R)-5,5-Dimethyl-3-(phenylsulfonyl)-4-thiazolidinyl]carbonyl]-3-[[[(phenylmethyl)amino]carbonyl]amino]-L-

alanine

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₃H₂₈N₄O₆S₂

Batch Molecular Weight: 520.62 **Physical Appearance:** White solid

Solubility: DMSO to 100 mM Storage: Store at -20°C

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 98.9% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 53.06 5.42 10.76 Found 52.22 5.32 10.37

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Product Information

Print Date: Dec 16th 2022

www.tocris.com

Product Name: TC-I 15 Catalog No.: 4527 4

CAS Number: 916734-43-5

IUPAC Name: N-[[(4R)-5,5-Dimethyl-3-(phenylsulfonyl)-4-thiazolidinyl]carbonyl]-3-[[[(phenylmethyl)amino]carbonyl]amino]-L-

alanine

Description:

TC-I 15 is a potent $\alpha_2\beta_1$ integrin inhibitor (IC $_{50}$ values for the inhibition of human platelet adhesion to type I collagen are 12 and 715 nM for platelets under static conditions and under flow, respectively). TC-I 15 displays selectivity for $\alpha_2\beta_1$ over $\alpha_\nu\beta_3,\,\alpha_5\beta_1,\,\alpha_6\beta_1$ and $\alpha_{IIb}\beta_3$ at concentrations exceeding 1000 nM. TC-I 15 reduces collagen IV production in mesangial cells. Active in vivo; TC-I 15 prevents ferric chloride-induced clot formation in mice. Please see product specific page on www.tocris.com for full description.

Physical and Chemical Properties:

Batch Molecular Formula: C₂₃H₂₈N₄O₆S₂

Batch Molecular Weight: 520.62 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

Licensing Information:

Sold under license from the University of Pennsylvania.

References:

Borza et al (2012) Inhibition of integrin α2β1 ameliorates glomerular injury. J.Am.Soc.Nephrol. 23 1027. PMID: 22440900.

Miller et al (2009) Small-molecule inhibitors of integrin $\alpha 2\beta 1$ that prevent pathological thrombus formation via an allosteric mechanism. Proc.Natl.Acad.Sci.U.S.A. **106** 719. PMID: 19141632.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

www.tocris.com/distributors Tel:+1 612 379 2956