# biotechne<sup>®</sup> TOCRIS

### **Certificate of Analysis**

#### www.tocris.com

#### Product Name: E 64d

### Catalog No.: 4545 Batch No.: 6

CAS Number: IUPAC Name: 88321-09-9 (2*S*,3*S*)-3-[[[(1*S*)-3-Methyl-1-[[(3-methylbutyl)amino]carbonyl]butyl]amino]carbonyl]-2-oxiranecarboxylic acid ethyl ester

#### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: Batch Molecular Weight: Physical Appearance: Solubility: Storage: Batch Molecular Structure:  $C_{17}H_{30}N_2O_5$ 342.43 White solid ethanol to 20 mM Store at -20°C

EtO<sub>2</sub>(

2. ANALYTICAL DATA

HPLC: Mass Spectrum: Shows 98.0% purity Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

# biotechne TOCRIS

#### www.tocris.com

#### **Product Name:** E 64d

#### Catalog No.: 4545

6

**IUPAC Name:** 

CAS Number:

88321-09-9

(2S,3S)-3-[[[(1S)-3-Methyl-1-[[(3-methylbutyl)amino]carbonyl]butyl]amino]carbonyl]-2-oxiranecarboxylic acid ethyl ester

#### **Description:**


E 64d is an inhibitor of cathepsins B and L; also thought to inhibit calpain. Inhibits lysosomal proteases and interferes with autolysosomal digestion when used in combination with pepstatin A (Cat. No. 1190). Lysosome and cell permeable. Also inhibits entry of SARS-Cov-2 (COVID-19) into Caco-2 and Vero cells in combination with Camostat mesylate (Cat.No. 3193) in vitro.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>17</sub>H<sub>30</sub>N<sub>2</sub>O<sub>5</sub> Batch Molecular Weight: 342.43 Physical Appearance: White solid

#### Minimum Purity: ≥98%

#### **Batch Molecular Structure:**



#### Storage: Store at -20°C

#### Solubility & Usage Info:

ethanol to 20 mM

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. \*Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### **References:**

Hoffmann et al (2020) SARS-CoV-2 cell entry depends on ACE2 and TMPRSS2 and is blocked by a clinically-proven protease inhibitor. Cell 181 271. PMID: 32142651 .

Kim et al (2008) Autophagy upregulation by inhibitors of caspase-3 and mTOR enhances radiotherapy in a mouse model of lung cancer. Autophagy 4 659. PMID: 18424912.

Sato et al (2007) Autophagy is activated in colorectal cancer cells and contributes to the tolerance to nutrient deprivation. Cancer Res. 67 9677. PMID: 17942897.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956