

Product Name: Pam3CSK4

Catalog No.: 4633

Batch No.: 12

CAS Number: 112208-00-1

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₈₁H₁₅₆N₁₀O₁₃S
Batch Molecular Weight: 1510.24
Physical Appearance: White lyophilised solid
Counter Ion: TFA
Solubility: Soluble to 1 mg/ml in 50% Ethanol / water
Storage: Store at -20°C
Peptide Sequence: Pam-Cys(Pam₂)-Ser-Lys-Lys-Lys-Lys

2. ANALYTICAL DATA

HPLC: Shows 98.0 % purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid Theoretical		Actual		Amino Acid Theoretical		Actual	
Ala				Lys	4.00		3.99
Arg				Met			
Asx				Phe			
Cys	1.00	Detected		Pro			
Glx				Ser	1.00		1.01
Gly				Thr			
His				Trp			
Ile				Tyr			
Leu				Val			

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Pam3CSK4**Catalog No.:** 4633**12**

CAS Number: 112208-00-1

Description:

Pam3CSK4 is a toll-like receptor 1/2 (TLR1/2) agonist; induces production of TNF- α and IL-6 in macrophages. Stimulates phosphorylation of p100/p110 and p60 in granulocytic-differentiated HL-60 cells. Promotes differentiation of naive CD4+ T cells into T_h17 cells.

Physical and Chemical Properties:Batch Molecular Formula: C₈₁H₁₅₆N₁₀O₁₃S

Batch Molecular Weight: 1510.24

Physical Appearance: White lyophilised solid

Peptide Sequence:Pam-Cys(Pam₂)-Ser-Lys-Lys-Lys-Lys**Storage:** Store at -20°C**Solubility & Usage Info:**

Soluble to 1 mg/ml in 50% Ethanol / water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Counter Ion: TFA**Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Caproni *et al* (2012) MF59 and Pam3CSK4 boost adaptive responses to influenza subunit vaccine through an IFN type I-independent mechanism of action. *J.Immunol.* **188** 3088. PMID: 22351935.

St Paul *et al* (2012) Toll-like receptor ligands induce the expression of IF- γ and interleukin-17 in chicken CD4+ T cells. *BMC Res.Notes* **1** 616. PMID: 23116495.

Offermanns *et al* (1992) Lipopeptides are effective stimulators of tyrosine phosphorylation in human myeloid cells. *Biochem.J.* **282** 551. PMID: 1312332.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956