

Product Name: Carbetocin

Catalog No.: 4852

Batch No.: 4

CAS Number: 37025-55-1

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₄₅H₆₉N₁₁O₁₂S
Batch Molecular Weight: 988.17
Physical Appearance: White lyophilised solid
Counter Ion: TFA
Solubility: Soluble to 29.65 mg/ml in water
Storage: Store at -20°C
Peptide Sequence: Butyryl-Tyr(Me)-Ile-Gln-Asn-Cys-Pro-Leu-Gly-NH₂

2. ANALYTICAL DATA

HPLC: Shows 97.2 % purity
Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid		Theoretical	Actual	Amino Acid		Theoretical	Actual
Ala				Lys			
Arg				Met			
Asx	1.00	1.09	Phe				
Cys			Pro	1.00	0.98		
Glx	1.00	1.03	Ser				
Gly	1.00	1.00	Thr				
His			Trp				
Ile	1.00	0.96	Tyr	1.00	0.96		
Leu	1.00	0.98	Val				

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Carbetocin**Catalog No.:** 4852**4**

CAS Number: 37025-55-1

Description:

Carbetocin is an oxytocin analog. Long-acting; displays agonist properties.

Physical and Chemical Properties:Batch Molecular Formula: C₄₅H₆₉N₁₁O₁₂S

Batch Molecular Weight: 988.17

Physical Appearance: White lyophilised solid

Peptide Sequence:

Butyryl-Tyr(Me)-Ile-Gln-Asn-Cys-Pro-Leu-Gly-NH₂

Storage: Store at -20°C**Solubility & Usage Info:**

Soluble to 29.65 mg/ml in water

Counter Ion: TFA**Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Holleboom et al (2013) Carbetocin in comparison with oxyt. in several dosing regimens for the prevention of uterine atony after elective caesarean section in the Netherlands. Arch.Gynecol.Obstet. Epub ahead of print. PMID: 23329341.

Su et al (2012) Carbetocin for preventing postpartum haemorrhage. Cochrane Database Syst.Rev.. PMID: 22513931.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956