

Product Name: PPTN hydrochloride

Catalog No.: 4862

Batch No.: 3

CAS Number: 1992047-65-0

IUPAC Name: 4-[4-(4-Piperidinyl)phenyl]-7-[4-(trifluoromethyl)phenyl]-2-naphthalenecarboxylic acid hydrochloride

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₂₉H₂₄F₃NO₂.HCl.H₂O


Batch Molecular Weight: 529.98

Physical Appearance: White solid

Solubility: DMSO to 100 mM
ethanol to 20 mM

Storage: Store at -20°C

Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: Shows 99.7% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	65.72	5.14	2.64
Found	65.33	4.84	2.34

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: PPTN hydrochloride

Catalog No.: 4862

Batch No.: 3

CAS Number: 1992047-65-0

IUPAC Name: 4-[4-(4-Piperidinyl)phenyl]-7-[4-(trifluoromethyl)phenyl]-2-naphthalenecarboxylic acid hydrochloride

Description:

PPTN hydrochloride is a high affinity and selective P2Y₁₄ antagonist (K_B = 434 pM), which exhibits >10,000-fold selectivity for P2Y₁₄ over other P2Y receptors. PPTN inhibits UDP-glucose and MRS 2690-induced porcine pancreatic artery contraction *ex vivo*, and also blocks UDP-glucose-induced chemotaxis of HL-60 leukemia cells *in vitro*.

Physical and Chemical Properties:


Batch Molecular Formula: C₂₉H₂₄F₃NO₂.HCl.H₂O

Batch Molecular Weight: 529.98

Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

DMSO to 100 mM

ethanol to 20 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Alsaqati *et al* (2014) Novel vasocontractile role of the P2Y₁₄ receptor: characterization of its signalling in porcine isolated pancreatic arteries. *Br.J.Pharmacol.* **171** 701. PMID: 24138077.

Barrett *et al* (2013) A selective high-affinity antagonist of the P2Y₁₄ receptor inhibits UDP-glucose-stimulated chemotaxis of human neutrophils. *Mol.Pharmacol.* **84** 41. PMID: 23592514 .

Gao *et al* (2013) The role of P2Y₁₄ and other P2Y receptors in degranulation of human LAD2 mast cells. *Purinergic Signal.* **9** 31. PMID: 22825617.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com

Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors

Tel:+1 612 379 2956