

Certificate of Analysis

Print Date: Oct 12th 2022

www.tocris.com

Product Name: BCH Catalog No.: 5027 Batch No.: 2

CAS Number: 20448-79-7

IUPAC Name: 2-Aminobicyclo[2.2.1]heptane-2-carboxylic acid

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_8H_{13}NO_2.1\%H_2O$

Batch Molecular Weight: 186.72

Physical Appearance: White solid

Solubility: water to 100 mM

Storage: Store at RT

Batch Molecular Structure:

2. ANALYTICAL DATA

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 51.46 8.91 7.5 Found 51.56 8.78 7.59



Product Information

Print Date: Oct 12th 2022

www.tocris.com

Product Name: BCH Catalog No.: 5027 2

CAS Number: 20448-79-7

IUPAC Name: 2-Aminobicyclo[2.2.1]heptane-2-carboxylic acid

Description:

BCH is an inhibitor of L-type amino acid transporter LAT1. Suppresses growth and induces apoptosis via activation of caspases in KB, Saos2 and C6 cancer cell lines.

Physical and Chemical Properties:

Batch Molecular Formula: C₈H₁₃NO₂.1³/₄H₂O

Batch Molecular Weight: 186.72 Physical Appearance: White solid

Batch Molecular Structure:

Storage: Store at RT

Solubility & Usage Info:

water to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Kim et al (2008) BCH, an inhibitor of system L amino acid transporters, induces apoptosis in cancer cells. Biol.Pharm.Bull. 31 1096. PMID: 18520037.

Lin et al (2004) L-type amino acid transporter-1 overexpression and melp. sensitivity in Barrett's adenocarcinoma. Neoplasia 6 74. PMID: 15068672.

Fraga et al (2002) L-type amino acid transporters in two intestinal epithelial cell lines function as exchangers with neutral amino acids. J.Nutr. 132 733. PMID: 11925469.