

# **Certificate of Analysis**

Print Date: Feb 27th 2023

Batch No.: 1

www.tocris.com

Catalog No.: 5922

Product Name: CRT 0066854 hydrochloride

CAS Number: 2250019-91-9

IUPAC Name: (2S)-3-Phenyl- $N^1$ -[5,6,7,8-tetrahydro-2-(4-pyridinyl)[1]benzothieno[2,3-d]pyrimidin-4-yl]-1,2-propanediamine

dihydrochloride

# 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>24</sub>H<sub>25</sub>N<sub>5</sub>S.2HCl.½H<sub>2</sub>O

Batch Molecular Weight: 497.49
Physical Appearance: Yellow solid

**Solubility:** water to 100 mM

DMSO to 100 mM

Storage: Store at -20°C

**Batch Molecular Structure:** 

#### 2. ANALYTICAL DATA

**TLC:**  $R_f = 0.48 (5\% 7M \text{ ammonia in MeOH/DCM})$ 

HPLC: Shows 96.7% purity
Chiral HPLC: Shows 100% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen Chlorine

Theoretical 57.94 5.67 14.08 14.25 Found 57.81 5.6 14.05 14.43

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



# **Product Information**

Print Date: Feb 27th 2023

www.tocris.com

1

Product Name: CRT 0066854 hydrochloride

CAS Number: 2250019-91-9

IUPAC Name: (2S)-3-Phenyl- $N^1$ -[5,6,7,8-tetrahydro-2-(4-pyridinyl)[1]benzothieno[2,3-d]pyrimidin-4-yl]-1,2-propanediamine

dihydrochloride

# **Description:**

CRT 0066854 hydrochloride is a protein kinase C (PKC) inhibitor. Inhibits PKCı and PKC $\zeta$  (IC50 values are 132 and 639 nM, respectively). Restores polarized morphogenesis in oncogene expressing MDCK cells, decreases colony formation in HeLa cells and inhibits lethal giant larvae 2 (LLGL2) phosphorylation.

### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>24</sub>H<sub>25</sub>N<sub>5</sub>S.2HCl.½H<sub>2</sub>O

Batch Molecular Weight: 497.49 Physical Appearance: Yellow solid

**Minimum Purity:** ≥95%

#### **Batch Molecular Structure:**

Storage: Store at -20°C

## Solubility & Usage Info:

water to 100 mM DMSO to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Catalog No.: 5922

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Linch** *et al* (2014) Regulation of polarized morphogenesis by protein kinase C iota in oncogenic epithelial spheroids. Carcinogenesis **35** 396. PMID: 24072773.

**Kjaer** *et al* (2013) Adenosine-binding motif mimicry and cellular effects of a thieno[2,3-d]pyrimidine-based chemical inhibitor of atypical protein kinase C isoenzymes. Biochem.J. *451* 329. PMID: 23418854.