



Certificate of Analysis

www.tocris.com

Product Name: SAH-EZH2 Catalog No.: 6708 Batch No.: 1

CAS Number: 1453222-26-8

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₁₅₅H₂₅₆N₄₈O₄₀

Batch Molecular Weight: 3432.05

Physical Appearance: White lyophilised solid

Net Peptide Content: 77.9% Counter Ion: TFA

Solubility: Soluble to 1 mg/ml in water

Storage: Store at -20°C

Peptide Sequence: Ac-Phe-Ser-Ser-Asn-Arg

Val-Pro-Gin-Ile-Arg-Arg-Gin-Lys-Trp -

2. ANALYTICAL DATA

HPLC: Shows 96.4% purity

Mass Spectrum: Consistent with structure



Product Information

Print Date: May 2nd 2019

www.tocris.com

Product Name: SAH-EZH2 Catalog No.: 6708 Batch No.: 1

CAS Number: 1453222-26-8

Description:


EZH2/EPP interaction inhibitor (K_d = 320 nM). Suppresses EZH2 expression and H3K27 trimethylation by PCR2 complex. Arrests proliferation and induces monocyte to macrophage differentiation of MLL-AF9 leukemia cell line.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₅₅H₂₅₆N₄₈O₄₀ Batch Molecular Weight: 3432.05

Physical Appearance: White lyophilised solid

Peptide Sequence:



Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Net Peptide Content: 77.9% (Remaining weight made up of counterions and residual water).

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

Licensing Information:

Sold under license from Dana-Farber Cancer Institute

References:

Kim *et al* (2015) SWI/SNF-mutant cancers depend on catalytic and non-catalytic activity of EZH2. Nat.Med. **21** 1491. PMID: 26552009. **Kim** *et al* (2013) Targeted disruption of the EZH2-EED complex inhibits EZH2-dependent cancer. Nat.Chem.Biol. **9** 643. PMID: 23974116.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use