Certificate of Analysis

www.tocris.com

Print Date: Mar 26th 2020

Product Name: AZ 1729

Catalog No.: 6826

Batch No.: 1

CAS Number: IUPAC Name:

Storage:

2016864-46-1

4-Fluoro-N-[3-[2-[(aminoiminomethyl)amino]-4-methyl-5-thiazolyl]phenyl]benzamide

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: Batch Molecular Weight: Physical Appearance: Solubility:

Batch Molecular Structure:

 $C_{18}H_{16}FN_5OS$ 369.42 Beige solid DMSO to 100 mM ethanol to 5 mM Store at -20°C

NH₂ HN

2. ANALYTICAL DATA

HPLC: ¹H NMR: Mass Spectrum: Microanalysis:

Shows 99.8% purity Consistent with structure Consistent with structure Carbon Hydrogen Nitrogen

Theoretical	58.52	4.37	18.96
Found	58.44	4.46	18.72

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956



TOCRIS a biotechne brand

Product Information

www.tocris.com

Print Date: Mar 26th 2020

Batch No.: 1

Product Name: AZ 1729

CAS Number: 2016864-46-1

4-Fluoro-N-[3-[2-[(aminoiminomethyl)amino]-4-methyl-5-thiazolyl]phenyl]benzamide

Description:

IUPAC Name:


FFA2 allosteric agonist. Inhibits forskolin-induced cAMP increase and stimulates ³⁵SGTPγS binding in biochemical assays (pEC₅₀ values are 6.9 and 7.23, respectively). Binds at allosteric binding site. In functional assays, displays positive allosteric modulation of FFA-induced G_i signaling and negative allosteric modulation of FFA-induced G_q/G₁₁ signaling. Inhibits lipolytic effect of isoproterenol (pEC₅₀ = 5.03) and induces migration of human neutrophils in vitro.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₈H₁₆FN₅OS Batch Molecular Weight: 369.42 Physical Appearance: Beige solid

Minimum Purity: ≥98%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info: DMSO to 100 mM

ethanol to 5 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a $45-60^{\circ}C$ water bath).

Catalog No.: 6826

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Sergeev et al (2017) A single extracellular amino acid in free fatty acid receptor 2 defines antagonist species selectivity and G protein selection bias. Sci.Rep. 7 13741. PMID: 29061999.

Bolognini *et al* (2016) A novel allosteric activator of free fatty acid 2 receptor displays unique G_i-functional bias. J.Biol.Chem. **291** 18915. PMID: 27385588.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.comNorth AmericaChinaEurope Middle East AfricaRest of Worldinfo@bio-techne.comTel: (800) 343 7475info.cn@bio-techne.comTel: +44 (0) 1235 529449www.tocris.com/distributorstechsupport@bio-techne.comTel: +86 (21) 52380373Tel: +44 (0) 1235 529449tel: +1 612 379 2956