

# **Certificate of Analysis**

Print Date: Jan 9th 2023

www.tocris.com

Product Name: EED 226 Catalog No.: 7762 Batch No.: 1

CAS Number: 2083627-02-3

IUPAC Name: N-(2-Furanylmethyl)-8-[4-(methylsulfonyl)phenyl]-1,2,4-triazolo[4,3-c]pyrimidin-5-amine

# 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>17</sub>H<sub>15</sub>N<sub>5</sub>O<sub>3</sub>S.<sup>3</sup>/<sub>4</sub>H<sub>2</sub>O

Batch Molecular Weight: 382.91

Physical Appearance: Off-white solid
Solubility: DMSO to 100 mM
Storage: Store at -20°C

**Batch Molecular Structure:** 

### 2. ANALYTICAL DATA

**HPLC:** Shows 99.7% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 53.32 4.34 18.29 Found 52.77 4.5 18.31

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



# **Product Information**

Print Date: Jan 9th 2023

www.tocris.com

Product Name: EED 226 Catalog No.: 7762 1

CAS Number: 2083627-02-3

IUPAC Name: N-(2-Furanylmethyl)-8-[4-(methylsulfonyl)phenyl]-1,2,4-triazolo[4,3-c]pyrimidin-5-amine

#### **Description:**

EED 226 is a potent ( $IC_{50}$  = 23.4 nM) and selective EED inhibitor. It inhibits PRC2 activity by binding to the H3K27me3 pocket of EED. The compound shows selectivity for PRC2 complex over protein methyltransferases, kinases, and other protein classes. In vitro, EED 226 regulates histone H3K27 methylation and PRC2 target gene expression. In vivo, it induces tumor regression in a mouse xenograft model. EED 226 is orally bioavailable.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>17</sub>H<sub>15</sub>N<sub>5</sub>O<sub>3</sub>S.<sup>3</sup>/<sub>4</sub>H<sub>2</sub>O

Batch Molecular Weight: 382.91 Physical Appearance: Off-white solid

Minimum Purity: ≥98%

#### **Batch Molecular Structure:**

Storage: Store at -20°C

#### Solubility & Usage Info:

DMSO to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

## References:

Qi et al (2017) An allosteric PRC2 inhibitor targeting the H3K27me3 binding pocket of EED. Nat.Chem.Biol. 13 381. PMID: 28135235.