biotechne[®] TOCRIS

Print Date: Sep 3rd 2024

Certificate of Analysis

www.tocris.com

Product Name:Adenosine 5"-(α,β-methylene)diphosphate disodium saltCatalog No.: 8173Batch No.: 1CAS Number:104835-70-3IUPAC Name:α,β-Methyleneadenosine 5'-diphosphate disodium salt

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: Batch Molecular Weight:


Physical Appearance:

Batch Molecular Structure:

Solubility:

Storage:

 $C_{11}H_{15}N_5Na_2O_9P_2$ 469.19 Off White solid PBS to 10 mM Store at -20°C



2. ANALYTICAL DATA

HPLC: Mass Spectrum: Shows 98.4 % purity Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956

biotechne[®] TOCRIS

1

www.tocris.com

Product Name:	Adenosine 5"-(α , β -methylene)diphosphate disodium salt	Catalog No.: 8173
CAS Number:	104835-70-3	

IUPAC Name: α,β -Methyleneadenosine 5'-diphosphate disodium salt

Description:

Adenosine 5'-(α , β -methylene)diphosphate sodium salt is an ecto-5'-nucleotidase/CD73 inhibitor. Blocks ecto-5'-nucleotidase-mediated adenosine production by preventing the conversion of AMP to adenosine. Reverses doxorubicin-resistance in ecto-5'-nucleotidase-positive MDR cells (MCF7/A6 and L1210/A). Also increases rhodamine uptake and inhibits rhodamine efflux from ecto-5'-nucleotidase-positive MDR cells. Vasoconstrictor, induces inflammation in a rodent model of pleurisy, and reduces memory loss induced by $A\beta_{1-42}$ in a mouse model of Alzheimer's disease. Please see product specific page on www.tocris.com for full description.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₁H₁₅N₅Na₂O₉P₂ Batch Molecular Weight: 469.19 Physical Appearance: Off White solid

Minimum Purity: ≥98%

Batch Molecular Structure:



Solubility & Usage Info: PBS to 10 mM


Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.



References:

Caiazzo *et al* (2019) The ecto-5'-nucleotidase/CD73 inhibitor, α , β -methylene adenosine 5'-diphosphate, exacerbates carrageenaninduced pleurisy in rat. Front. Pharmacol. **10** 775. PMID: 31354490.

Chen *et al* (2019) Asthmatic augmentation of airway vagal activity involves decreased central expression and activity of CD73 in rats. ACS Chem.Neurosci. **10** 2809. PMID: 30913879.

Kur et al (2014) Purinergic control of vascular tone in the retina. J.Physiol. 592 491. PMID: 24277867.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956