

# Product Datasheet

## CCL11/Eotaxin Antibody [PerCP] AF-320-NAC

Unit Size: 0.1 ml

Store at 4C in the dark.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/AF-320-NAC](http://www.novusbio.com/AF-320-NAC)

Updated 7/7/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/AF-320-NAC](http://www.novusbio.com/reviews/destination/AF-320-NAC)



**AF-320-NAC**

CCL11/Eotaxin Antibody [PerCP]

| <b>Product Information</b>         |  |
|------------------------------------|--|
| <b>Unit Size</b>                   | 0.1 ml   |
| <b>Concentration</b>               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| <b>Storage</b>                     | Store at 4C in the dark.   |
| <b>Clonality</b>                   | Polyclonal   |
| <b>Preservative</b>                | 0.05% Sodium Azide   |
| <b>Isotype</b>                     | IgG  |
| <b>Conjugate</b>                   | PerCP  |
| <b>Purity</b>                      | Antigen Affinity-purified  |
| <b>Buffer</b>                      | PBS  |
| <b>Product Description</b>         |  |
| <b>Host</b>                        | Goat   |
| <b>Gene ID</b>                     | 6356   |
| <b>Gene Symbol</b>                 | CCL11  |
| <b>Species</b>                     | Human  |
| <b>Specificity/Sensitivity</b>     | Detects human CCL11/Eotaxin in direct ELISAs and Western blots. In direct ELISAs, less than 20% cross-reactivity with recombinant mouse CCL11/Eotaxin is observed. |
| <b>Immunogen</b>                   | <i>E. coli</i> -derived recombinant human CCL11/Eotaxin<br>Gly24-Pro97<br>Accession # Q6I9T4   |
| <b>Product Application Details</b> |  |
| <b>Applications</b>                | Western Blot, Immunohistochemistry, Neutralization   |
| <b>Recommended Dilutions</b>       | Western Blot, Immunohistochemistry, Neutralization   |
| <b>Application Notes</b>           | Optimal dilution of this antibody should be experimentally determined.   |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to AF-320-NAC**

---

|                |   |
|----------------|---|
| AB-108-CC      | Goat IgG Isotype Control [PerCP]        |
| NBP2-34976-5ug | Recombinant Human CCL11/Eotaxin Protein |
| 210-TA-005     | TNF-alpha [Unconjugated]                |
| MME00          | CCL11/Eotaxin [HRP]                     |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/AF-320-NAC](http://www.novusbio.com/reviews/submit/AF-320-NAC)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

