

Product Datasheet

Common gamma Chain/IL-2 R gamma Antibody (633162) [Allophycocyanin/Cy7] **FAB2842APCCY7**

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/FAB2842APCCY7

Updated 8/3/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/FAB2842APCCY7



FAB2842APCCY7

Common gamma Chain/IL-2 R gamma Antibody (633162) [Allophycocyanin/Cy7]

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark. Do not freeze.
Clonality	Monoclonal
Clone	633162
Preservative	0.05% Sodium Azide
Isotype	IgG2b
Conjugate	Allophycocyanin/Cy7
Purity	Protein A or G purified from hybridoma culture supernatant
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	3561
Gene Symbol	IL2RG
Species	Human
Specificity/Sensitivity	Detects human Common γ Chain/IL-2 R γ in direct ELISAs and Western blots. In direct ELISAs, no cross-reactivity with recombinant human (rh) IL-2 R α , rhIL-2 R β , rhIL-15 R α , recombinant mouse IL-2 R γ , or recombinant canine IL-2 R α is observed. In Western blots, approximately 80% cross-reactivity with recombinant human IL-2 R β , 50% cross-reactivity with rhIL-15 R α and recombinant mouse IL-2 R α , and no cross-reactivity with rhIL-2 R α is observed.
Immunogen	<i>S. frugiperda</i> insect ovarian cell line Sf21-derived recombinant human Common γ Chain/IL-2 γ Leu23-Asn254 Accession # P31785
Product Application Details	
Applications	Flow Cytometry
Recommended Dilutions	Flow Cytometry
Application Notes	Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at technical@novusbio.com if you have any questions.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to FAB2842APCCY7

6507-IL-010/CF	IL-4 [Unconjugated]
384-RG-050	Common gamma Chain/IL-2 R gamma [Unconjugated]
202-IL-010	IL-2 [Unconjugated]
247-ILB-005	IL-15 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/FAB2842APCCY7

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

