

Product Datasheet

DRP1 Antibody (3B5) - Azide and BSA Free H00010059-M01

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 10

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00010059-M01

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00010059-M01



H00010059-M01

DRP1 Antibody (3B5) - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3B5
Preservative	No Preservative
Isotype	IgG2b Kappa
Purity	IgG purified
Buffer	In 1x PBS, pH 7.4

Product Description	
Description	Novus Biologicals Mouse DRP1 Antibody (3B5) - Azide and BSA Free (H00010059-M01) is a monoclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-DRP1 Antibody: Cited in 10 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	10059
Gene Symbol	DNM1L
Species	Human, Mouse, Rat
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 29092894). Other species not tested.
Specificity/Sensitivity	DNM1L - dynamin 1-like
Immunogen	DNM1L (AAH24590.1, 1 a.a. ~ 710 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MEALIPVINKLQDVFNVTGADIIQLPQIVVVGTQSSGKSSVLESVGRDLLPRGT GIVTRRPLILQLVHVSQEDKRKTTGEENGVEAEWGWKFLHTKNKLYTDFDEIRQ EIENETERISGNNKGVSPPIHLKIFSPNVVNLTLVDLPGMTKVPVGDQPKDIEL QIRELILRFISNPNSIILAVTAANTDMATSEALKISREVPDGRRTLAVITKLDLMD AGTDAMDVLMGRVIPVKLGIIGVVNRSQLDINNKKSVTDSIRDEYAFQKKYPSL ANRNGTKYLARTLNRLMHHIRDCLPELKTRINVLAAQYQSLLNSYGEPVDDKS ATLLQLITKFATEYCNTIEGTAKYIETSELGGARICYIFHETFGRTLSEVDPLGG LNTIDILTAIRNATGPRPALFVPEVSFELLVKRQIKRLEEPSLRVELVHEEMQRRII QHCSNYSTQELLRFPKLHDAIVEVVTCLLRKRLPVTNEMVHNLVAIELAYINTKH PDFADACGLMNNNIEEQRRNRLARELPSAVSRDKLIQDSRRETKNVASGGGG VGDGVQEPTTGNWRGMLKTSKAEELLAEEKSKPIIMPASPQKGHAVNLLDVP VPVARKLSAREQRDCEVIERLIKSYFLIVRKNIQDSVPKAVMHFLVNHVKDTLQS ELVGQLYKSSLLDDLLTESEDMAQRRKEAADMLKALQGASQIIAIEIRETHLW
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 1:10-1:500



Application Notes


Antibody reactive against cell lysate, transfected lysate and recombinant protein for Western Blot. Has also been used for immunohistochemistry (paraffin) and ELISA.

Images


Western Blot: DRP1 Antibody (3B5) [H00010059-M01] - DNM1L monoclonal antibody (M01), clone 3B5 Analysis of DNM1L expression in K-562.




Immunohistochemistry-Paraffin: DRP1 Antibody (3B5) [H00010059-M01] - Analysis of monoclonal antibody to DNM1L on formalin-fixed paraffin-embedded human leiomyosarcoma tissue. Antibody concentration 1 ug/ml.



Western Blot: DRP1 Antibody (3B5) [H00010059-M01] - Analysis of DNM1L expression in transfected 293T cell line by DNM1L monoclonal antibody (M01), clone 3B5. Lane 1: DNM1L transfected lysate (79 KDa). Lane 2: Non-transfected lysate.



ELISA: DRP1 Antibody (3B5) [H00010059-M01] - Detection limit for recombinant GST tagged DNM1L is approximately 0.3ng/ml as a capture antibody.



Publications

Aimaretti E, Chimienti G, Rubeo C et al. Different Effects of High-Fat/High-Sucrose and High-Fructose Diets on Advanced Glycation End-Product Accumulation and on Mitochondrial Involvement in Heart and Skeletal Muscle in Mice *Nutrients* 2023-11-22 [PMID: 38068732]

Wang XX, Myakala K, Libby AE et al. Estrogen-Related Receptor Agonism Reverses Mitochondrial Dysfunction and Inflammation in the Aging Kidney *The American journal of pathology* 2023-12-01 [PMID: 37717940]

Julia J, Emilia G, Agnieszka K et al. Increasing energy expenditure through exercise and low ambient temperature offers oxidative protection to the hypothalamus after high-fat feeding to mice. *J Neuroendocrinol.* 2022-02-09 [PMID: 35138671]

Tsushima K, Bugger H, Wende AR et al. Mitochondrial Reactive Oxygen Species in Lipotoxic Hearts Induces Post-Translational Modifications of AKAP121, DRP1 and OPA1 That Promote Mitochondrial Fission *Circ. Res.* 2017-11-01 [PMID: 29092894] (Mouse)

Nicassio L, Fracasso F, Sirago G et al. Dietary supplementation with acetyl-L-carnitine counteracts age-related alterations of mitochondrial biogenesis, dynamics and antioxidant defenses in brain of old rats. *Exp Gerontol* 2017-08-12 [PMID: 28807823]

Cormio A, Musicco C, Gasparre G et al. Increase in proteins involved in mitochondrial fission, mitophagy, proteolysis and antioxidant response in type I endometrial cancer as an adaptive response to respiratory complex I deficiency. *Biochem Biophys Res Commun* 2017-07-08 [PMID: 28698145]

Vincent AM, Edwards JL, McLean LL et al. Mitochondrial biogenesis and fission in axons in cell culture and animal models of diabetic neuropathy. *Acta Neuropathol.* 2010-05-15 [PMID: 20473509]

Kim B, McLean LL, Philip SS, Feldman EL. Hyperinsulinemia induces insulin resistance in dorsal root ganglion neurons. *Endocrinology.* 2011-08-02 [PMID: 21810948]

Figuroa-Romero C, Iniguez-Lluhi JA, Stadler J et al. SUMOylation of the mitochondrial fission protein Drp1 occurs at multiple nonconsensus sites within the B domain and is linked to its activity cycle. *FASEB J* 23(11):3917-27. 2009-11-01 [PMID: 19638400]

Edwards JL, Quattrini A, Lentz SI et al. Diabetes regulates mitochondrial biogenesis and fission in mouse neurons. *Diabetologia.* 2009-10-22 [PMID: 19847394]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to H00010059-M01

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43317-0.5mg	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00010059-M01

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

