

# Product Datasheet

## MCRS1 Antibody - Azide and BSA Free H00010445-B01P

Unit Size: 0.05 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/H00010445-B01P](http://www.novusbio.com/H00010445-B01P)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/H00010445-B01P](http://www.novusbio.com/reviews/destination/H00010445-B01P)



**H00010445-B01P**

MCRS1 Antibody - Azide and BSA Free

Product Information	
<b>Unit Size</b>	0.05 mg
<b>Concentration</b>	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
<b>Storage</b>	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Polyclonal
<b>Preservative</b>	No Preservative
<b>Isotype</b>	IgG
<b>Purity</b>	Protein A purified
<b>Buffer</b>	PBS (pH 7.4)


Product Description	
<b>Description</b>	Novus Biologicals Mouse MCRS1 Antibody - Azide and BSA Free (H00010445-B01P) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-MCRS1 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
<b>Host</b>	Mouse
<b>Gene ID</b>	10445
<b>Gene Symbol</b>	MCRS1
<b>Species</b>	Human, Mouse
<b>Specificity/Sensitivity</b>	MCRS1 - microspherule protein 1,
<b>Immunogen</b>	MCRS1 (NP_006328.2, 1 a.a. - 462 a.a.) full-length human protein. MDKDSQGLLDSSLMASGTASRSEDEESLAGQKRASSQALGTIPKRSSSRFIK RKKFDDELVESSLAKSSTRAKGASGVEPGRCSGSEPSSSEKKKVKAPSTPVP PSPAPAPGLTKRVKKSQPLQVTKDLGRWKPADDLLLINAVLQTNDLTSVHLG VKFSCRFTLREVQERWYALLYDPVISKLACQAMRQLHPEAIAAIQSKALFSKAE EQLLSKVGSTSQPTLETTFQDLLHRHPDAFYLARTAKALQAHWQLMKQYYLLED QTVQPLPKGDQVLNFSDAEDLIDDSKLLKDMRDEVLEHELMVADRRQKREIRQL EQELHKWQVLVDSITGMSSPDFDNQTLAVLRGRMVRYLMRSREITLGRATKDN QIDVDLSLEGPAWKISRKQGVIKLKNNGDFFIANEGRRPIYIDGRPVLGCGSKWRL SNNSVVEIASLRFVFLINQDLIALIRAEAAKITPQ
<b>Notes</b>	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
<b>Applications</b>	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
<b>Recommended Dilutions</b>	Western Blot 1:500, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin
<b>Application Notes</b>	Antibody reactive against Recombinant Protein with GST tag on ELISA and Western Blot and also on transfected lysate in western blot. GST tag alone is used as a negative control. May also be used for immunofluorescence, immunohistochemistry (paraffin).




## Images


**Western Blot: MCRS1 Antibody [H00010445-B01P]** - Western blot analysis of MCRS1 expression in whole testis extracts from 4.5, 6.5, 9.5, 12.5, and 15.5 dpp and adult mice. Each lane was loaded with 50 ug of testis protein extracts. Alpha tubulin was used as internal control. Image collected and cropped by CiteAb from the following publication (<https://link.springer.com/article/10.1007/s00412-017-0631-z>) licensed under a CC-BY license.




**Immunocytochemistry/Immunofluorescence: MCRS1 Antibody [H00010445-B01P]** - Analysis of purified antibody to MCRS1 on HeLa cell. (antibody concentration 10 ug/ml)




**Immunohistochemistry-Paraffin: MCRS1 Antibody [H00010445-B01P]** - Analysis of purified antibody to MCRS1 on formalin-fixed paraffin-embedded human spleen. (antibody concentration 3 ug/ml)



**Western Blot: MCRS1 Antibody [H00010445-B01P]** - Analysis of MCRS1 expression in transfected 293T cell line by MCRS1 polyclonal antibody. Lane 1: MCRS1 transfected lysate(50.82 KDa). Lane 2: Non-transfected lysate.



Western Blot: MCRS1 Antibody [H00010445-B01P] - Identification of interacting partners of PRDM9 by Y2H screening. a Schematic representation of the domain structure of seven PRDM9-interacting proteins identified by Y2H screening. The prey fragments identified in the screens are shown as blue bars underneath each protein. The length (number of amino acid residues) of each full-length protein is indicated on the right. b RNA expression of the PRDM9-interacting proteins in mouse testes (left) & ovaries (right) during meiosis. Data were extracted from RNA-seq data in Margolin et al. (2014) & Soh et al. (2015)). The average gene expression is shown in reads per kilobase per million of reads (RPKM) & fragments per kilobase of transcript per million mapped read (FKPM) for testes & ovaries, respectively. Zoomed-in views of the dashed line boxes are shown below. Spo11 & Spata19 expression were used as positive & negative controls, respectively. c Western blot analysis of PRDM9, CXXC1, PIH1D1, CEP70, & MCRS1 expression in whole testis extracts from 4.5, 6.5, 9.5, 12.5, & 15.5 dpp & adult mice. Each lane was loaded with 50  $\mu$ g of testis protein extracts. Tubulin  $\alpha$  was used as internal control. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/28527011>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



## Publications

Imai Y, Baudat F, Taillepierre M et al. The PRDM9 KRAB domain is required for meiosis and involved in protein interactions. *Chromosoma* 2017-05-19 [PMID: 28527011]

Xu CS, Zheng JY, Zhang HL et al. MSP58 Knockdown Inhibits the Proliferation of Esophageal Squamous Cell Carcinoma in Vitro and in Vivo. *Asian Pac J Cancer Prev*. 2012-11-01 [PMID: 22994740]

Zhong M, Zhang X, Li B et al. Expression of MSP58 in hepatocellular carcinoma. *Med Oncol*. 2013-03-22 [PMID: 23519485]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to H00010445-B01P**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97019-5mg	Mouse IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/H00010445-B01P](http://www.novusbio.com/reviews/submit/H00010445-B01P)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

