

Product Datasheet

TIMM8B Antibody (8E5) - Azide and BSA Free H00026521-M15

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00026521-M15

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00026521-M15



H00026521-M15

TIMM8B Antibody (8E5) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	8E5
Preservative	No Preservative
Isotype	IgG2a Kappa
Purity	IgG purified
Buffer	In 1x PBS, pH 7.4

Product Description	
Description	Novus Biologicals Mouse TIMM8B Antibody (8E5) - Azide and BSA Free (H00026521-M15) is a monoclonal antibody validated for use in WB and ELISA. Anti-TIMM8B Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	26521
Gene Symbol	TIMM8B
Species	Human
Immunogen	TIMM8B (NP_036591.1, 1 a.a. ~ 83 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. MAELGEADEAELQRLVAAEQKKAQFTAQVHHFMELCWDKCVKPGNRLDSR TENCLSSCVDRFIDTTLAITSRFAQIVQKGGQ
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.


Product Application Details	
Applications	Western Blot, ELISA
Recommended Dilutions	Western Blot, ELISA
Application Notes	This antibody is useful for ELISA, Western Blot

Images


Western Blot: TIMM8B Antibody (8E5) [H00026521-M15] - Analysis of TIMM8B expression in transfected 293T cell line by TIMM8B monoclonal antibody (M15), clone 8E5. Lane 1: TIMM8B transfected lysate (9.3 KDa). Lane 2: Non-transfected lysate.




Western Blot: TIMM8B Antibody (8E5) [H00026521-M15] - Western blot analysis of TIMM8B from in vitro experiments using a normal colon mucosa epithelial cell line exposed to high (HG) or NG condition. Relative densitometric quantification and representative immunoblots are shown. CO: (osmotic) control. Error bars indicate SEM. Mann-Whitney statistical U-test used with three biologically independent replicates included (*P-value < 0.05). Image collected and cropped by CiteAb from the following publication (<https://onlinelibrary.wiley.com/doi/abs/10.1002/1878-0261.12531>), licensed under a CC-BY license.




ELISA: TIMM8B Antibody (8E5) [H00026521-M15] - Detection limit for recombinant GST tagged TIMM8B is 0.3 ng/ml as a capture antibody.



Western blot analysis of MRPL18 (A), TIMM8B (B), and EIF1A (C) from in vitro experiments using a normal colon mucosa epithelial cell line exposed to high (HG) or NG condition. Relative densitometric quantification and representative immunoblots are shown. CO: (osmotic) control. Error bars indicate SEM. Mann-Whitney statistical U-test used with three biologically independent replicates included (*P-value < 0.05).



Western Blot: TIMM8B Antibody (8E5) [H00026521-M15] - Western blot analysis of MRPL18 (A), TIMM8B (B), & EIF1A (C) from in vitro experiments using a normal colon mucosa epithelial cell line exposed to high (HG) or NG condition. Relative densitometric quantification & representative immunoblots are shown. CO: (osmotic) control. Error bars indicate SEM. Mann-Whitney statistical U-test used with three biologically independent replicates included (*P-value < 0.05). Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/31199051>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Del Puerto-Nevado L, Santiago-Hernandez A, Solanes-Casado S et al. Diabetes-mediated promotion of colon mucosa carcinogenesis is associated with mitochondrial dysfunction Mol Oncol 2019-06-14 [PMID: 31199051] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to H00026521-M15

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00026521-M15

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

