

# Product Datasheet

## GOLM1 Antibody (5B10) - Azide and BSA Free H00051280-M06-100ug

Unit Size: 100 ug

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/H00051280-M06](http://www.novusbio.com/H00051280-M06)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/H00051280-M06](http://www.novusbio.com/reviews/destination/H00051280-M06)




**H00051280-M06-100ug**

GOLM1 Antibody (5B10) - Azide and BSA Free


Product Information	
<b>Unit Size</b>	100 ug
<b>Concentration</b>	This product is unpurified. The exact concentration of antibody is not quantifiable.
<b>Storage</b>	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	5B10
<b>Preservative</b>	No Preservative
<b>Isotype</b>	IgG1 Kappa
<b>Purity</b>	Ascites
<b>Buffer</b>	In 1x PBS, pH 7.4
Product Description	
<b>Description</b>	Novus Biologicals Mouse GOLM1 Antibody (5B10) - Azide and BSA Free (H00051280-M06) is a monoclonal antibody validated for use in IHC, WB, ELISA and ICC/IF. Anti-GOLM1 Antibody: Cited in 6 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
<b>Host</b>	Mouse
<b>Gene ID</b>	51280
<b>Gene Symbol</b>	GOLM1
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	GOLPH2 - golgi phosphoprotein 2 (5B10)
<b>Immunogen</b>	GOLM1 (NP_057632, 302 a.a. ~ 401 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa. VQAALSVSQENPEMEGPERDQLVIPDGQEEEQEAAGEGRNQQKLRGEDDYN MDENEAESETDKQAALAGNDRNIDVFNVEDQKRDTINLLDQREKRNHTL
<b>Notes</b>	This product is produced by and distributed for Abnova, a company based in Taiwan.
Product Application Details	
<b>Applications</b>	Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
<b>Recommended Dilutions</b>	Western Blot 1:500, ELISA, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin
<b>Application Notes</b>	Antibody reactive against recombinant protein for Western Blot. Has also been used for immunohistochemistry (paraffin) and ELISA.

## Images


Western Blot: GOLM1 Antibody (5B10) [H00051280-M06] - Analysis of GOLM1 expression in transfected 293T cell line by GOLM1 monoclonal antibody (M06), clone 5B10. Lane 1: GOLM1 transfected lysate (45.3 KDa). Lane 2: Non-transfected lysate.




Immunocytochemistry/Immunofluorescence: GOLM1 Antibody (5B10) [H00051280-M06] - Analysis of monoclonal antibody to GOLM1 on HeLa cell. Antibody concentration 10 ug/ml



Immunohistochemistry-Paraffin: GOLM1 Antibody (5B10) [H00051280-M06] - Analysis of monoclonal antibody to GOLM1 on formalin-fixed paraffin-embedded human endometrium. Antibody concentration 3 ug/ml



ELISA: GOLM1 Antibody (5B10) [H00051280-M06] - Detection limit for recombinant GST tagged GOLPH2 is approximately 0.1ng/ml as a capture antibody.



## Publications

Liewen H, Markuly N, Laubli H et al. Therapeutic Targeting of Golgi Phosphoprotein 2 (GOLPH2) with Armed Antibodies: A Preclinical Study of Anti-GOLPH2 Antibody Drug Conjugates in Lung and Colorectal Cancer Models of Patient Derived Xenografts (PDX). *Target Oncol.* 2019-10-15 [PMID: 31541350]

Hirst J, Itzhak D, Antrobus R et al. Role of the AP-5 adaptor protein complex in late endosome-to-Golgi retrieval. *PLoS Biol.* 2018-01-15 [PMID: 29381698]

Wei S, Dunn TA, Isaacs WB et al. GOLPH2 and MYO6: putative prostate cancer markers localized to the Golgi apparatus. *Prostate.* 2008-09-15 [PMID: 18543251]

Kristiansen G, Fritzsche FR, Wassermann K et al. GOLPH2 protein expression as a novel tissue biomarker for prostate cancer: implications for tissue-based diagnostics. *Br J Cancer.* 2008-09-16 [PMID: 18781151]

Scheble VJ, Braun M, Wilbertz T et al. ERG rearrangement in small cell prostatic and lung cancer. *Histopathology.* 2010-01-10 [PMID: 20636794]

Braun M, Menon R, Nikolov P et al. The HOPE fixation technique - a promising alternative to common prostate cancer biobanking approaches. *BMC Cancer.* 2011-12-07 [PMID: 22151117]





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to H00051280-M06-100ug**

---

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/H00051280-M06](http://www.novusbio.com/reviews/submit/H00051280-M06)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

