

Product Datasheet

ERCC6L Antibody - Azide and BSA Free H00054821-D01P

Unit Size: 0.1 mg

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 11

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/H00054821-D01P

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/H00054821-D01P



H00054821-D01P

ERCC6L Antibody - Azide and BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Protein A purified
Buffer	PBS (pH 7.4)


Product Description	
Description	Novus Biologicals Rabbit ERCC6L Antibody - Azide and BSA Free (H00054821-D01P) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-ERCC6L Antibody: Cited in 11 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	54821
Gene Symbol	ERCC6L
Species	Human, Mouse
Specificity/Sensitivity	ERCC6L - excision repair cross-complementing rodent repair deficiency, complementation group 6-like,
Immunogen	ERCC6L (AAH08808.1, 1 a.a. - 419 a.a.) full-length human protein. MEKSFATKNEAVQKETLQEGPKQEALQEDPLESFNYVLSKSTKADIGPNLDQL KDDEILRHCPWPPIISITNESQNAESNVSIIEIADDLSASHSALQDAQASEAKLEE EPSASSPQYACDFNLFLEDSADNRQNFSSQSLEHVEKENSLCGSAPNSRAGF VHSKTCLSWEFSEKDDEPEEVVVKAKIRSKARRIVSDGEDEDDSFKDTSSINPF NTSLFQFSSVKQFDASTPKNDISPPGRFFSSQIPSSVNKSMNSRRSLASRRSLI NMVLDHVEDMEERLDDSSSEAKGPEDYPEEGVEESSGEASKYTEEDPSGETLS SENKSSWLMTSKPSALAQETSLGAPEPLSGEQLVGSPQDKAAEATNDYETLVK RGKELKECGKIQEALNCLVKALDIKSADPEVMLLTLISLYKQLN
Notes	This product is produced by and distributed for Abnova, a company based in Taiwan.

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence
Application Notes	Antibody reactive against Recombinant Protein with GST tag on ELISA and Western Blot and also on transfected lysate in western blot. GST tag alone is used as a negative control. This antibody may also be useful in Immunofluorescence, as per a customer product review. Immunocytochemistry/Immunofluorescence was reported in scientific literature. Use in Immunohistochemistry reported in scientific literature (PMID 24589582)




Images


Western Blot: ERCC6L Antibody [H00054821-D01P] - Analysis of ERCC6L expression in human colon.



Immunocytochemistry/Immunofluorescence: ERCC6L Antibody [H00054821-D01P] - IF analysis of ERCC6L in mouse and human cell lines. Image courtesy of product review submitted by Corentin Laulier.



Western Blot: ERCC6L Antibody [H00054821-D01P] - Analysis of ERCC6L expression in transfected 293T cell line by ERCC6L polyclonal antibody. Lane 1: ERCC6L transfected lysate (46.20 kDa). Lane 2: Non-transfected lysate.



Publications

Hamza M, Geraldine B, Gaelle F et al. Cytidine deaminase deficiency in tumor cells is associated with sensitivity to a naphthol derivative and a decrease in oncometabolite levels. *Cell Mol Life Sci.* 2022-08-04 [PMID: 35925417]

Sandra S, Geraldine B, Rosine O et al. A decrease in NAMPT activity impairs basal PARP-1 activity in cytidine deaminase deficient-cells, independently of NAD⁺. *Sci Rep.* 2020-08-17 [PMID: 32807821]

Yokoyama H, Moreno-Andres D, Astrinidis SA et al. Chromosome alignment maintenance requires the MAP RECQL4, mutated in the Rothmund-Thomson syndrome. *Life Sci Alliance.* 2019-02-04 [PMID: 30718377]

Bou Samra E, Buhagiar-Labarchede G, Machon C et al. A role for Tau protein in maintaining ribosomal DNA stability and cytidine deaminase-deficient cell survival. *Nat Commun* 2017-09-25 [PMID: 28947735]

Tiwari A, Addis Jones O, Chan KL. et al. 53BP1 can limit sister-chromatid rupture and rearrangements driven by a distinct ultrafine DNA bridging-breakage process. *Nat Commun* 2018-02-14 [PMID: 29445165]

Gemble S, Buhagiar-Labarchede G, Onclercq-Delic R et al. A balanced pyrimidine pool is required for optimal Chk1 activation to prevent ultrafine anaphase bridge formation. *J Cell Sci* 2016-07-06 [PMID: 27383768]

Kang X, Song C, Du X et al. PTEN stabilizes TOP2A and regulates the DNA decatenation. *Sci Rep* 2015-12-10 [PMID: 26657567]

Rouzeau S, Cordelieres FP, Buhagiar-Labarchede G et al. Blooms Syndrome and PICH Helicases Cooperate with Topoisomerase IIalpha in Centromere Disjunction before Anaphase. *PLoS One.* 2012-04-26 [PMID: 22563370]

Munoz MC, Laulier C, Gunn A et al. RING finger nuclear factor RNF168 is important for defects in homologous recombination caused by loss of the breast cancer susceptibility factor BRCA1. *J Biol Chem.* 2012-11-23 [PMID: 23055523] (WB, Human)

Luebben Spencer W, Kawabata Tsuyoshi, Johnson Charles S et al. A concomitant loss of dormant origins and FANCC exacerbates genome instability by impairing DNA replication fork progression. *Nucleic Acids Res.* 2014-03-03 [PMID: 24589582] (IF/IHC, Mouse)

Laulier C, Cheng A, Stark JM. The relative efficiency of homology-directed repair has distinct effects on proper anaphase chromosome separation *Nucleic Acids Res* 2011-08-01 [PMID: 21459848] (ICC/IF, Mouse, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to H00054821-D01P

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/H00054821-D01P

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

