

Product Datasheet

KDM2B Antibody NB100-1293

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1293

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1293



NB100-1293**KDM2B Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat KDM2B Antibody (NB100-1293) is a polyclonal antibody validated for use in IHC and ELISA. Anti-KDM2B Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	84678
Gene Symbol	KDM2B
Species	Human
Specificity/Sensitivity	This antibody is expected to recognize isoform a (NP_115979.3) only.
Immunogen	Peptide with sequence C-FGQVEEKLLQKLS corresponding to C-Terminus according to NP_115979.3.

Product Application Details	
Applications	Immunohistochemistry-Paraffin, ELISA, Immunohistochemistry
Recommended Dilutions	ELISA Detection limit 1:32000, Immunohistochemistry, Immunohistochemistry-Paraffin 5-7 ug/ml
Application Notes	WB: An anonymous customer has reported bands at approx. 170+90 kDa band in lysates HeLa (calculated MW of 153 kDa band according to NP_115979.3).



Images

Immunohistochemistry-Paraffin: KDM2B Antibody [NB100-1293] - Staining of paraffin embedded Human Skin. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.



Immunohistochemistry: Goat Polyclonal KDM2B Antibody [NB100-1293] - (7 µg/ml) staining of paraffin embedded Human Skin. Heat induced antigen retrieval with citrate buffer pH 6, HRP-staining.



Control: Goat Polyclonal KDM2B Antibody [NB100-1293] - Negative Control showing staining of paraffin embedded Human Skin, with no primary antibody.



Publications

Fujino T, Hasegawa M, Shibata S et al. PCCX1, a novel DNA-binding protein with PHD finger and CXXC domain, is regulated by proteolysis. *Biochem Biophys Res Commun* 2000-05-10 [PMID: 10799292]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1293

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
H00084678-Q01-10ug	Recombinant Human KDM2B GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1293

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



