

Product Datasheet

Prohibitin 2 Antibody - BSA Free NB100-1807

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1807

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1807



NB100-1807

Prohibitin 2 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Description	Novus Biologicals Rabbit Prohibitin 2 Antibody - BSA Free (NB100-1807) is a polyclonal antibody validated for use in IHC and IP. Anti-Prohibitin 2 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	11331
Gene Symbol	PHB2
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residues 1 and 50 of human Repressor of Estrogen Activity (Prohibitin 2) using the numbering given in entry NP_009204.1 (GeneID 11331).

Product Application Details	
Applications	Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation, Western Blot (Negative)
Recommended Dilutions	Immunohistochemistry 1:1000- 1:5000, Immunoprecipitation 1-4 ug/mg of lysate, Immunohistochemistry-Paraffin 1:1000- 1:5000, Western Blot (Negative)
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections. Western Blot Not recommended.




Images

Immunohistochemistry-Paraffin: Prohibitin 2 Antibody [NB100-1807] - Sample: FFPE section of human ovarian carcinoma. Antibody: Affinity purified rabbit anti- REA used at a dilution of 1:1,000 (1ug/ml). Detection: DAB



Immunoprecipitation: Prohibitin 2 Antibody [NB100-1807] - Detection of Human REA by Western Blot of Immunoprecipitates. Samples: Whole cell lysate (1 mg/IP, 20% of IP loaded) from HeLa cells. Antibodies: Affinity purified rabbit anti-REA antibodies NB100-1807, another REA Ab, NB100-1808, and NB100-1809 each used for IP at 3 mcg/mg lysate. Immunoprecipitated REA was blotted using BL1706 (upper blot) or BL1707 (lower blot). Detection: Chemiluminescence with exposure times of 30 seconds (upper and lower)



Publications

Liu D, Lin Y, Kang T et al. Mitochondrial dysfunction and adipogenic reduction by prohibitin silencing in 3T3-L1 cells. PLoS One 2012-01-01 [PMID: 22479600]

Strub GM, Paillard M, Liang J et al. Sphingosine-1-phosphate produced by sphingosine kinase 2 in mitochondria interacts with prohibitin 2 to regulate complex IV assembly and respiration. FASEB J 2011-02-01 [PMID: 20959514]

He B, Feng Q, Mukherjee A et al. A repressive role for prohibitin in estrogen signaling. Mol Endocrinol 2008-02-01 [PMID: 17932104]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1807

NBL1-14349	Prohibitin 2 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1807

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

