

Product Datasheet

NKG2D/CD314 Antibody NB100-1891

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1891

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1891



NB100-1891**NKG2D/CD314 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat NKG2D/CD314 Antibody (NB100-1891) is a polyclonal antibody validated for use in WB, ELISA and Flow. Anti-NKG2D/CD314 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	22914
Gene Symbol	KLRK1
Species	Human
Immunogen	Peptide with sequence C-KVYSKEDQDLLK corresponding to internal region according to NP_031386.2.

Product Application Details	
Applications	Western Blot, Flow Cytometry, Peptide ELISA
Recommended Dilutions	Western Blot 0.1 - 0.5 ug/mL, Flow Cytometry 10 ug/ml, Peptide ELISA Detection limit 1:64000
Application Notes	WB: Approx 36-37 kDa band observed in lysates of cell line MOLT4 (calculated MW of 25.3kDa according to NP_031386.2).




Images

Western Blot: NKG2D/CD314 Antibody [NB100-1891] - Staining of MOLT-4 cell lysate (A) + peptide (B) with antibody at 0.5 ug/mL (35ug protein in RIPA buffer). Detected by chemiluminescence.



Flow Cytometry: NKG2D/CD314 Antibody [NB100-1891] - Flow cytometric analysis of human peripheral blood monocytes. Primary incubation 30 minutes (10ug/ml) followed by Alexa Fluor 488 secondary antibody (1ug/ml).



Publications

Hayakawa Y, Smyth MJ. Innate immune recognition and suppression of tumors. *Adv Cancer Res* 2006-01-01 [PMID: 16860661]

Han Y, Zhang M, Li N et al. KLRL1, a novel killer cell lectinlike receptor, inhibits natural killer cell cytotoxicity. *Blood* 2004-11-01 [PMID: 15238421]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1891

NB820-59259	Human Spleen Whole Tissue Lysate (Adult Whole Normal)
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1891

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



