

Product Datasheet

DAF-3 Antibody - BSA Free

NB100-1924

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-1924

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-1924



NB100-1924

DAF-3 Antibody - BSA Free


Product Information	
Unit Size	0.1 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Whole antisera

Product Description	
Description	Novus Biologicals Rabbit DAF-3 Antibody - BSA Free (NB100-1924) is a polyclonal antibody validated for use in IHC, WB, IP and ChIP. Anti-DAF-3 Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	180431
Species	<i>C. elegans</i>
Immunogen	A synthetic peptide made to the C-terminus (within residues 700-796) of the <i>C.elegans</i> DAF-3 protein. [UniProt# O17532]

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Chromatin Immunoprecipitation, Immunohistochemistry, Immunoprecipitation, Chromatin Immunoprecipitation (ChIP)
Recommended Dilutions	Western Blot 1:1000-1:5000, Chromatin Immunoprecipitation reported in scientific literature (PMID 16777607), Immunohistochemistry 1:50-1:200, Immunoprecipitation 1:10-1:500, Immunohistochemistry-Paraffin 1:50-1:200, Chromatin Immunoprecipitation (ChIP) 1:10-1:500

Images

Western Blot: DAF-3 Antibody [NB100-1924] - Detection of DAF-3 in 1: wildtype *C. elegans* lysate and 2: DAF-3 deletion *C. elegans* lysate.



Publications

Pekar O, Ow MC, Hui KY et al. Linking the environment, DAF-7/TGF β signaling and LAG-2/DSL ligand expression in the germline stem cell niche *Development* 2017-08-15 [PMID: 28811311] (Chemotaxis, *C. elegans*)

Sims JR, Ow MC, Nishiguchi MA et al. Developmental programming modulates olfactory behavior in *C. elegans* via endogenous RNAi pathways *Elife* 2016-06-29 [PMID: 27351255] (IP)

Deplancke, B et al. A gene-centered *C. elegans* protein-DNA interaction network. *Cell*. 125(6):1193-205. 2006-06-16 [PMID: 16777607] (Chemotaxis, *C. elegans*)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-1924

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-1924

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

