

Product Datasheet

VSV-G Epitope Tag Antibody - BSA Free NB100-2485

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 13

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-2485

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-2485



NB100-2485**VSV-G Epitope Tag Antibody - BSA Free**


Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Rabbit VSV-G Epitope Tag Antibody - BSA Free (NB100-2485) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF, Simple Western and IP. Anti-VSV-G Epitope Tag Antibody: Cited in 10 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Species	Epitope Tag
Immunogen	Synthetic peptide: YTDIEMNRLGK conjugated to KLH.

Product Application Details	
Applications	Western Blot, Simple Western, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:30000, Simple Western 1:30 - 1:270, ELISA 1:1000 - 1:30000, Immunocytochemistry/ Immunofluorescence 1:100-1:400, Immunoprecipitation 1 - 4 ug/mg lysate
Application Notes	ELISA 1:1,000 - 1:30,000; for coating plates 1:100 - 1:500 See Simple Western Antibody Database for Simple Western validation: Tested in Multi-tag protein (ab36791), separated by Size, antibody dilution of 1:30, 1:90, 1:270, apparent MW was 54 kDa

Images

Western Blot: VSV-G Epitope Tag Antibody [NB100-2485] - 200, 100, or 50 ng of E. coli whole cell lysate expressing a multi-tag fusion protein. Antibody used at 0.04 ug/ml (1:25,000).



Publications

Lee J, Kwon K, Cho M et al. Fusogenic Nanoreactor-Based Detection of Extracellular Vesicle-derived miRNAs for Diagnosing Atherosclerosis Small (Weinheim an der Bergstrasse, Germany) 2025-04-21 [PMID: 40254988]

Jiang H, Qu Y, Kan X et al. Pexophagy-driven redox imbalance promotes virus-induced ferroptosis. Cell reports 2025-06-04 [PMID: 40478734]

Bin Yu, Shoeb Ikhlas, Chunsheng Ruan, Xingxing Zhong, Dongsheng Cai Innate and Adaptive Immunity of Murine Neural Stem Cell-Derived piRNA Exosomes/Microvesicles against Pseudotyped SARS-CoV-2 and HIV-Based Lentivirus iScience 2020-11-13 [PMID: 33205008]

Ilahibaks N, Roefs M, Brans M et al. Extracellular vesicle-mediated protein delivery to the liver Journal of Extracellular Biology 2023-09-01 (WB)

Ilahibaks NF, Ardisasmita AI, Xie S et al. TOP-EVs: Technology of Protein delivery through Extracellular Vesicles is a versatile platform for intracellular protein delivery Journal of controlled release : official journal of the Controlled Release Society 2023-02-15 [PMID: 36746337] (WB)

Ong YS, Tang BL, Loo LS et al. p125A exists as part of the mammalian Sec13/Sec31 COPII subcomplex to facilitate ER-Golgi transport. J Cell Biol 2010-08-01 [PMID: 20679433]

Jernigan KK, Cselenyi CS, Thorne CA et al. Gbetagamma activates GSK3 to promote LRP6-mediated beta-catenin transcriptional activity. Sci Signal 2010-05-01 [PMID: 20460648]

Hossain MM, Hosono-Fukao T, Tang R et al. Direct detection of HSulf-1 and HSulf-2 activities on extracellular heparan sulfate and their inhibition by PI-88. Glycobiology 2010-02-01 [PMID: 19822709]

Kathiresan T, Harvey M, Orchard S et al. A protein interaction network for the large conductance Ca(2+)-activated K (+) channel in the mouse cochlea. Mol Cell Proteomics 2009-08-01 [PMID: 19423573]

Rendl LM, Bieman MA, Smibert CA et al. S. cerevisiae Vts1p induces deadenylation-dependent transcript degradation and interacts with the Ccr4p-Pop2p-Not deadenylase complex. RNA 2008-07-01 [PMID: 18469165]

Roberts TM, Zaidi IW, Vaisica JA et al. Regulation of rtt107 recruitment to stalled DNA replication forks by the cullin rtt101 and the rtt109 acetyltransferase. Mol Biol Cell 2008-01-01 [PMID: 17978089]

Chai N, Chang HE, Nicolas E et al. Assembly of hepatitis B virus envelope proteins onto a lentivirus pseudotype that infects primary human hepatocytes. J Virol 2007-10-01 [PMID: 17670822]

More publications at <http://www.novusbio.com/NB100-2485>





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-2485

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2485

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

