

Product Datasheet

TIF1 alpha Antibody NB100-2596

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-2596

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-2596



NB100-2596

TIF1 alpha Antibody


Product Information	
Unit Size	0.1 ml
Concentration	0.2 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	TBS and 0.1% BSA

Product Description	
Description	Novus Biologicals Rabbit TIF1 alpha Antibody (NB100-2596) is a polyclonal antibody validated for use in IHC, WB, IP and ChIP. Anti-TIF1 alpha Antibody: Cited in 3 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	8805
Gene Symbol	TRIM24
Species	Human, Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residue 700 and 750 of human Transcriptional Intermediary Factor 1 Alpha (Tripartite Motif-Containing 24) using the numbering given in entry NP_056989.2 (GeneID 8805).


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation, Chromatin Immunoprecipitation Sequencing
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:200 - 1:1000, Immunoprecipitation 2 - 10 ug/mg lysate, Immunohistochemistry-Paraffin 1:200 - 1:1000, Chromatin Immunoprecipitation Sequencing
Application Notes	Epitope retrieval with citrate buffer pH6.0 is recommended for FFPE tissue sections. ChIP-Seq ChIP-Seq 4 ug/30 ug chromatin.

Images


Western Blot: TIF1 alpha Antibody [NB100-2596] - Detection of Human and Mouse TIF1 Alpha/TRIM24 by Western Blot. Samples: Whole cell lysate (50 ug) from HeLa, 293T, Jurkat, mouse TCMK-1, and mouse NIH3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-TIF1 Alpha/TRIM24 antibody NB100-2596 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.




Immunohistochemistry-Paraffin: TIF1 alpha Antibody [NB100-2596] - Section of mouse teratoma. Antibody: Affinity purified rabbit anti-TIF1 alpha/TRIM24 used at a dilution of 1:200 (1ug/ml). Detection: DAB



Chromatin Immunoprecipitation Sequencing: TIF1 alpha Antibody [NB100-2596] - Localization of TIF1 Alpha/TRIM24 Binding Sites by ChIP-seq. Chromatin from Breast cancer cell line T47D was immunoprecipitated with anti-TIF1 Alpha/TRIM24 antibody NB100-2596 and analyzed by DNA sequencing. The figure illustrates the peak distribution of TIF1 Alpha/TRIM24 binding within a 250 Kb region of chromosome 19 as detected using anti-TIF1 Alpha/TRIM24 antibody NB100-2596. ChIP-seq validation performed by Active Motif, Carlsbad, CA.



Western Blot: TIF1 alpha Antibody [NB100-2596] - Detection of Human and Mouse TIF1 alpha/TRIM24 on HeLa whole cell lysate using NB100-2596. TIF1 alpha/TRIM24 was also immunoprecipitated by rabbit anti-TIF1 alpha/TRIM24 antibody NB100-2597.



Immunohistochemistry-Paraffin: TIF1 alpha Antibody [NB100-2596] - Section of human breast carcinoma. Antibody: Affinity purified rabbit anti-TIF1 alpha/TRIM24 used at a dilution of 1:200 (1ug/ml). Detection: DAB



Publications

Eickhoff N, Janetzko J, Padrão N et al. TRIM33 loss reduces androgen receptor transcriptional output and H2BK120 ubiquitination. *Communications Biology* 2025-07-11 [PMID: 40646276]

Andrieux G, Fattet L, Le Borgne M et al. Dynamic regulation of Tgf-B signaling by Tif1?: a computational approach. *PLoS One* 2012-01-01 [PMID: 22461896]

Seki Y, Kurisaki A, Watanabe-Susaki K et al. TIF1beta regulates the pluripotency of embryonic stem cells in a phosphorylation-dependent manner. *Proc Natl Acad Sci U S A* 2010-06-01 [PMID: 20508149]

Allton K, Jain AK, Herz H-M et al. From the Cover: Trim24 targets endogenous p53 for degradation. *PNAS*;106 (28):11612-11616. 2009-01-01 [PMID: 19556538]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-2596

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-2596

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

