

# Product Datasheet

## G9a/EHMT2 Antibody - BSA Free NB100-40825

Unit Size: 100 ul

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

**Reviews: 1** **Publications: 2**

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB100-40825](http://www.novusbio.com/NB100-40825)

Updated 9/9/2025 v.20.1

**Earn rewards for product  
reviews and publications.**

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB100-40825](http://www.novusbio.com/reviews/destination/NB100-40825)



**NB100-40825**

G9a/EHMT2 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Description	Novus Biologicals Rabbit G9a/EHMT2 Antibody - BSA Free (NB100-40825) is a polyclonal antibody validated for use in IHC and IP. Anti-G9a/EHMT2 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	10919
Gene Symbol	EHMT2
Species	Human
Immunogen	The immunogen recognized by this antibody maps to a region between residue 1160 and the C-terminus (residue 1210) of human G9A (Euchromatic Histone-Lysine N-methyltransferase 2) using the numbering given in entry NP_006700.2 (GeneID 10919).

Product Application Details	
Applications	Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation, Western Blot (Negative)
Recommended Dilutions	Immunohistochemistry, Immunoprecipitation 2-10 ug/mg lysate, Immunohistochemistry-Paraffin 1:1000 -1:5000, Western Blot (Negative)
Application Notes	While trace amounts of G9A/EHMT2 can be immunoprecipitated by this antibody, the efficiency is very low. Epitope retrieval with Tris-EDTA pH9.0 is recommended for FFPE tissue sections.




## Images


Western Blot: G9a/EHMT2 Antibody [NB100-40825] - Detection of Human G9A/EHMT2 by Western Blot. Samples: Whole cell lysate (50 ug) from HeLa and 293T cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-G9A/EHMT2 antibody NB100-40825 used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunohistochemistry-Paraffin: G9a/EHMT2 Antibody [NB100-40825] - Section of human lung carcinoma. Antibody: Affinity purified rabbit anti-G9A/EHMT2 used at a dilution of 1:5,000 (0.2ug/ml). Detection: DAB



Immunoprecipitation: G9a/EHMT2 Antibody [NB100-40825] - Detection of human G9A/EHMT2 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-G9A/EHMT2 antibody NB100-40825 (lot NB100-40825-2) used for IP at 6 ug per reaction. G9A/EHMT2 was also immunoprecipitated by a previous lot of this antibody (NB100-40825-1) and another rabbit anti-G9A/EHMT2 antibody. For blotting immunoprecipitated G9A/EHMT2, NB100-40825 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



## Publications

Bantscheff M, Hopf C, Savitski MM et al. Chemoproteomics profiling of HDAC inhibitors reveals selective targeting of HDAC complexes. *Nat Biotechnol.* 2011-01-23 [PMID: 21258344]

Cho H-S, Kelly JD, Hayami S et al. Enhanced Expression of EHMT2 Is Involved in the Proliferation of Cancer Cells through Negative Regulation of SIAH1. *Neoplasia*;13(8):676-684. 2011-08-01 [PMID: 21847359]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NB100-40825**

---

NBL1-10164	G9a/EHMT2 Overexpression Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB100-40825](http://www.novusbio.com/reviews/submit/NB100-40825)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

