

Product Datasheet

cIAP-1/HiAP-2 Antibody - BSA Free NB100-56128

Unit Size: 0.05 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-56128

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-56128



NB100-56128

cIAP-1/HiAP-2 Antibody - BSA Free

Product Information	
Unit Size	0.05 ml
Concentration	This product is unpurified. The exact concentration of antibody is not quantifiable.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Unpurified
Buffer	Whole antisera


Product Description	
Description	Novus Biologicals Rabbit cIAP-1/HiAP-2 Antibody - BSA Free (NB100-56128) is a polyclonal antibody validated for use in IHC, WB and IP. Anti-cIAP-1/HiAP-2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	329
Gene Symbol	BIRC2
Species	Human
Immunogen	A small peptide from within amino acids 100 to 200 of human cIAP1 was used as immunogen, GenBank no. gi 2497238.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000-1:2000, Immunohistochemistry, Immunoprecipitation 1:50-1:200, Immunohistochemistry-Paraffin 1:1000-1:5000
Application Notes	cIAP1 has 618 amino acids and migrates at ~70 kDa on SDS-PAGE. Observed molecular weights may vary as genes generally produce, by alternative splicing, multiple transcripts all with introns, putatively encoding multiple different protein isoforms. Additionally, proteins may undergo post translational modifications including phosphorylation, glycosylation and cleavage which can result in differential molecular weights. Protein modifications can vary between cell and tissue type, and proteins can migrate as one or multiple bands depending on the isoform expressed as well as post-translational modifications.




Images

Western Blot: cIAP-1/HiAP-2 Antibody [NB100-56128] - Analysis of cIAP-1/HiAP-2 in various cancer cell lines using this antibody.



Immunohistochemistry-Paraffin: cIAP-1/HiAP-2 Antibody [NB100-56128] - Analysis of cIAP-1/HiAP-2 expression in human gliomas from a brain tissue. A. Two tissue cores showing a gemistocytoma, grade II tumor (left) and an anaplastic glioma-glioblastoma, grade IV tumor (right). A1 and A2, higher magnifications of the gemistocytoma. A3, higher magnification of the anaplastic glioma-glioblastoma. Hematoxylin-eosin counterstain. Higher cIAP1 expression is seen in the less malignant tumor (gemistocytoma) than the more malignant anaplastic (glioma-glioblastoma) tumor.



Publications

Priyanka G. Bhosale, Manishkumar Pandey, Simona Cristea, Mickey Shah, Asawari Patil, Niko Beerenwinkel, Alejandro A. Schäffer, Manoj B. Mahimkar Recurring Amplification at 11q22.1-q22.2 Locus Plays an Important Role in Lymph Node Metastasis and Radioresistance in OSCC Scientific Reports 2017-11-22 [PMID: 29167558]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-56128

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56128

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

