

Product Datasheet

SMAC/Diablo Antibody - BSA Free NB100-56311

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 16

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-56311

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-56311



NB100-56311

SMAC/Diablo Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	PBS


Product Description	
Description	Novus Biologicals Rabbit SMAC/Diablo Antibody - BSA Free (NB100-56311) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-SMAC/Diablo Antibody: Cited in 16 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	56616
Gene Symbol	DIABLO
Species	Human, Mouse
Reactivity Notes	Mouse reactivity reported in scientific literature (PMID: 22751125).
Immunogen	This rabbit polyclonal antibody was developed against two synthetic peptides corresponding to amino acids 199 to 212 and amino acids 226 to 239 of human Smac (Genbank accession no. AAF87716).

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Immunohistochemistry, Immunocytochemistry/Immunofluorescence 1:10-1:500. Use reported in scientific literature (Hu et al (2004)), Immunohistochemistry-Paraffin 10 ug/ml
Application Notes	Use in Immunohistochemistry-Paraffin reported in scientific literature (Ren et al. (2006))




Images

Western Blot: SMAC/Diablo Antibody [NB100-56311] - Analysis of Smac (DIABLO) in HeLa lysate using Smac antibody at 2 ug/ml.



Immunohistochemistry: SMAC/Diablo Antibody [NB100-56311] - Analysis of human prostate using Smac antibody at 10 ug/ml.



Publications

Endo Kazuya, Kohnoe Shunji, Watanabe Akihiro et al. Clinical significance of Smac/DIABLO expression in colorectal cancer. *Oncol Rep.* 2009-02-01 [PMID: 19148507] (Human)

Vucic D, Deshayes K, Ackerly H et al. SMAC negatively regulates the anti-apoptotic activity of melanoma inhibitor of apoptosis (ML-IAP). *J Biol Chem.* 2002-04-05 [PMID: 11801603]

Liu T, Brouha B, Grossman D. Rapid induction of mitochondrial events and caspase-independent apoptosis in Survivin-targeted melanoma cells. *Oncogene.* 2004-01-08 [PMID: 14712209]

Qin JZ, Ziffra J, Stennett L et al. Proteasome inhibitors trigger NOXA-mediated apoptosis in melanoma and myeloma cells. *Cancer Res.* 2005-07-15 [PMID: 16024630]

Wu J, Parungo C, Wu G et al. PR39 inhibits apoptosis in hypoxic endothelial cells: role of inhibitor apoptosis protein-2. *Circulation.* 2004-04-06 [PMID: 15023888] (WB)

Details:

Smac/DIABLO (IMG-248). WB: Bovine aortic endothelial cells (BAEC) transfected with pcDNA4-Smac, Fig 6. Note: The specificity of the Smac/DIABLO was validated by WB in Smac transfected BAEC's, Fig 6.

Liu J, Dai Q, Chen J et al. Phospholipid scramblase 3 controls mitochondrial structure, function, and apoptotic response. *Mol Cancer Res.* 2003-10-01 [PMID: 14573790]

Qin JZ, Stennett L, Bacon P et al. p53-independent NOXA induction overcomes apoptotic resistance of malignant melanomas. *Mol Cancer Ther.* 2004-08-01 [PMID: 15299072] (WB)

Details:

Smac/DIABLO (IMG-248A). WB: Human melanoma (RJ002L) cells treated with γ -secretase tripeptide inhibitor (GSI), Fig 3. Note: GSI triggers release of SMAC from mitochondria into cytoplasm in RJ002L cells after 6 hours, Fig 3.

Lee JC, Lee CH, Su CL et al. Justicidin A decreases the level of cytosolic Ku70 leading to apoptosis in human colorectal cancer cells. *Carcinogenesis.* 2005-10-01 [PMID: 15905197] (WB)

Details:

Caspase-3 (IMG-144A) [WB, Fig 3A (HT-29 and HCT 116 cells)].

Yoo NJ, Kim HS, Kim SY et al. Immunohistochemical analysis of Smac/DIABLO expression in human carcinomas and sarcomas. *APMIS.* 2003-03-01 [PMID: 12752217]

Ren Y, Akyurek N, Schlette E et al. Expression of Smac/DIABLO in B-cell non-Hodgkin and Hodgkin lymphomas. *Hum Pathol.* 2006-11-01 [PMID: 16949641] (IHC-P, WB)

Mizutani Y, Nakanishi H, Yamamoto K et al. Downregulation of Smac/DIABLO expression in renal cell carcinoma and its prognostic significance. *J Clin Oncol.* 2005-01-20 [PMID: 15572731] (WB, Human)

Details:

Smac/DIABLO (IMG-248). WB: Human renal cell carcinoma (RCC) normal kidney, Fig 1 & 2.

Hu P, Han Z, Couvillon AD, Exton JH. Critical role of endogenous Akt/IAPs and MEK1/ERK pathways in counteracting endoplasmic reticulum stress-induced cell death. *J Biol Chem.* 2004-11-19 [PMID: 15339911] (ICC/IF)

Details:

IF/ICC: MCF-7 cells treated with thapsigargin, Fig 7A.

More publications at <http://www.novusbio.com/NB100-56311>



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-56311

NB800-PC1	HeLa Whole Cell Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-56311

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

