

Product Datasheet

CD8 Antibody (12.C7) - BSA Free NB100-64021

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 2 Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-64021

Updated 9/9/2025 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-64021



NB100-64021

CD8 Antibody (12.C7) - BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	12.C7
Preservative	0.09% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS
Target Molecular Weight	26 kDa

Product Description	
Description	Novus Biologicals Mouse CD8 Antibody (12.C7) - BSA Free (NB100-64021) is a monoclonal antibody validated for use in IHC, Flow and ICC/IF. Anti-CD8 Antibody: Cited in 5 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	925
Gene Symbol	CD8A
Species	Rabbit
Specificity/Sensitivity	CD8 Antibody (12.C7) recognizes the rabbit CD8 cell surface antigen, expressed by a subset of T lymphocytes with cytotoxic/suppressor activity.
Immunogen	CD8 Antibody (12.C7) was developed against Rabbit CD8


Product Application Details	
Applications	Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Flow Cytometry 1:100-1:200, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry-Paraffin 1:10-1:500
Application Notes	Successful use in ICC/IF, IHC reported in scientific literature (PMID: 22796166).

Images


Immunohistochemistry: CD8 Antibody (12.C7) [NB100-64021] - scAAV8G9-optHLA-G Combo Prevents Cornea Burn-induced Vascularization and Cytotoxic T-cell Infiltration. Rabbit cornea sections were acquired 60 days following the injection of indicated vectors into burn corneas and stained for an endothelial cell marker (CD31), T cell markers, transgene abundance, and α -SMA in the indicated treatment groups. Scale bars=5um. Image collected and cropped by CiteAb from the following publication ([nature.com/articles/s41598-017-18002-9](https://www.nature.com/articles/s41598-017-18002-9)), licensed under a CC-BY license.




Immunohistochemistry-Paraffin: CD8 Antibody (12.C7) [NB100-64021] - Human bile duct cancer tissue. IHC-P image submitted by a verified customer review.




Flow Cytometry: CD8 alpha Antibody (12.C7) [NB100-64021] - Rabbit peripheral blood lymphocytes stained with Mouse anti Rabbit CD8 Alpha followed by Goat anti Mouse IgG (H/L):FITC



scAAV8G9-optHLA-G Combo Prevents Cornea Burn-induced Vascularization and Cytotoxic T-cell Infiltration. Rabbit cornea sections were acquired 60 days following the injection of indicated vectors into burn corneas and stained for an endothelial cell marker (CD31), T cell markers, transgene abundance, and α SMA in the indicated treatment groups. Scale bars = (A) 10 μ m, (B) 5 μ m, (C) 20 μ m, (D) 200 μ m.



scAAV8G9-optHLA-G Combo Prevents Cornea Burn-induced Vascularization and Cytotoxic T-cell Infiltration. Rabbit cornea sections were acquired 60 days following the injection of indicated vectors into burn corneas and stained for an endothelial cell marker (CD31), T cell markers, transgene abundance, and α SMA in the indicated treatment groups. Scale bars = (A) 10 μ m, (B) 5 μ m, (C) 20 μ m, (D) 200 μ m. Image collected and cropped by CiteAb from the following open publication (<https://pubmed.ncbi.nlm.nih.gov/29259248>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Gilger BC, Hasegawa T, Sutton RB et Al. A chimeric anti-vascularization immunomodulator prevents high-risk corneal transplantation rejection via ex vivo gene therapy Mol Ther 2024-11-07 [PMID: 39245940]

Lv P, Chen H, Cheng H et al. A Calcium Alginate Hydrogel Microsphere Based Transcatheter Arterial Viroembolization Strategy for Hepatocellular Carcinoma Advanced Therapeutics 2023-01-02 (FLOW)

Kolloli A, Kumar R, Singh P et al. Aggregation state of Mycobacterium tuberculosis impacts host immunity and augments pulmonary disease pathology Commun Biol 2021-11-03 [PMID: 34732811] (ICC/IF, Rabbit)

Lin CY, Lin KJ, Li KC et al. Lin CY, Lin KJ, Li KC et al. Immune responses during healing of massive segmental femoral bone defects mediated by hybrid baculovirus-engineered ASCs [PMID: 22796166] (IF/IHC, Rabbit)

Details:

Rabbit femoral sections underwent immunohistochemical analysis with antibodies, including NB100-64021, to investigate the efficacy of recombinant Baculovirus vectors for gene therapy of diseased or damaged bone.

Tsenova L, Fallows D, Kolloli A et Al. Inoculum size and traits of the infecting clinical strain define the protection level against Mycobacterium tuberculosis infection in a rabbit model Eur J Immunol. [PMID: 32130727] (ICC/IF, Rabbit)

Hirsch ML, Conatser LM, Smith SM et al. AAV vector-mediated expression of HLA-G reduces injury-induced corneal vascularization, immune cell infiltration, and fibrosis. Sci Rep 2017-12-19 [PMID: 29259248] (IHC-P, Rabbit)





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-64021

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB100-64021AF488	CD8 Antibody (12.C7) [Alexa Fluor® 488]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-64021

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

