

Product Datasheet

DPP10 Antibody - BSA Free NB100-645

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-645

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-645



NB100-645

DPP10 Antibody - BSA Free

Product Information

Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS
Target Molecular Weight	75 kDa

Product Description


Description	Novus Biologicals Rabbit DPP10 Antibody - BSA Free (NB100-645) is a polyclonal antibody validated for use in WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	57628
Gene Symbol	DPP10
Species	Human
Reactivity Notes	Human. Other species not tested.
Specificity/Sensitivity	Reacts with residues 521-539 [LKEAILKKKIGKPEIKILH] of human DPP10.
Immunogen	A synthetic peptide made to residues 521-539 of human DPP10.

Product Application Details

Applications	Western Blot
Recommended Dilutions	Western Blot 1:100-1:2000
Application Notes	This antibody has been tested in Western blot applications using transfected lysates only. No other applications have been tested. Recommended Starting Dilution: * Western blot: 1:500-1:1,000 *The investigator should determine the optimal working dilution for a specific application. The observed molecular weight of the protein may vary from the listed predicted molecular weight due to post translational modifications, post translation cleavages, relative charges, and other experimental factors.

Images

Western Blot: DPP10 Antibody [NB100-645] - Detection of Flag-DPP10 in transfected CHO cells using this antibody at a 1:1,000 dilution. The expected MW is 75 kDa; however, oligomerization and differential glycosylation produces other bands as observed with other DPP family members.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-645

NBL1-09994	DPP10 Overexpression Lysate
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-645

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications