

# Product Datasheet

## CD8 Antibody (4B11) - BSA Free NB100-65729

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 5

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NB100-65729](http://www.novusbio.com/NB100-65729)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NB100-65729](http://www.novusbio.com/reviews/destination/NB100-65729)




**NB100-65729**

CD8 Antibody (4B11) - BSA Free


<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	This product is unpurified. The exact concentration of antibody is not quantifiable.
<b>Storage</b>	Store at 4C. Do not freeze.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	4B11
<b>Preservative</b>	0.01% Sodium Azide
<b>Isotype</b>	IgG2b
<b>Purity</b>	Tissue culture supernatant
<b>Buffer</b>	Tissue culture supernatant
<b>Target Molecular Weight</b>	26 kDa
<b>Product Description</b>	
<b>Description</b>	Novus Biologicals Mouse CD8 Antibody (4B11) - BSA Free (NB100-65729) is a monoclonal antibody validated for use in IHC and Dual RNAscope ISH-IHC. Anti-CD8 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
<b>Host</b>	Mouse
<b>Gene ID</b>	925
<b>Gene Symbol</b>	CD8A
<b>Species</b>	Human
<b>Specificity/Sensitivity</b>	CD8 Antibody (4B11) recognizes the human CD8 cell surface antigen, a 32kD glycoprotein expressed by the cytotoxic/suppressor subset of T-cells and weakly by NK cells. Clone 4B11 has been reported as being suitable for use in Western blotting.
<b>Immunogen</b>	Synthetic peptide derived from the carboxy terminal region of the human CD8 alpha chain coupled to a N-terminal cysteine, with the sequence C-KSDGKPSLSARYV. The peptide was coupled to bovine serum albumin and keyhole limpet hemocyanin
<b>Product Application Details</b>	
<b>Applications</b>	Immunohistochemistry-Paraffin, Immunohistochemistry, Immunohistochemistry-Frozen, Dual RNAscope ISH-IHC
<b>Recommended Dilutions</b>	Immunohistochemistry 1:10-1:500, Immunohistochemistry-Paraffin 1:20-1:40, Immunohistochemistry-Frozen 1:20-1:40, Dual RNAscope ISH-IHC
<b>Application Notes</b>	This product requires antigen retrieval using heat treatment prior to staining of paraffin sections. 1mM EDTA pH8.0 is recommended for this purpose. Use in Immunocytochemistry/Immunofluorescence reported in scientific literature (PMID:32184726).

## Images

Dual RNAscope ISH-IHC: CD8 Antibody (4B11) [NB100-65729] - Formalin-fixed paraffin-embedded tissue sections of human tonsil were probed for CD8 mRNA (ACD RNAScope probe, catalog # 560391; Fast Red chromogen, ACD catalog # 322500) followed by immunohistochemistry using mouse monoclonal (Novus catalog # NB100-65729) at 5ug/mL for 1 hour at room temperature and detection with anti-mouse IgG VisUCyte HRP Polymer Antibody (R&D Systems Catalog # VC001) and green HRP chromogen (ACD Catalog # 322500).



Immunohistochemistry-Paraffin: CD8 Antibody (4B11) [NB100-65729] - Analysis of formalin fixed, paraffin-embedded human tonsil with CD8 Antibody (4B11). Magnification: 40X.



## Publications

Kang S, Lee J, Kang O et al. Transcriptome Profiling and Characterization of Peritoneal Metastasis Ovarian Cancer Xenografts in Humanized Mice bioRxiv 2023-10-28 (IHC-P, Human)

Park IJ, An S, Kim SY et al. Prediction of radio-responsiveness with immune-profiling in patients with rectal cancer Oncotarget 2017-07-25 [PMID: 29108360] (IHC-P, Human)

Soh JS, Jo SI, Lee H et al. Immunoprofiling of Colitis-associated and Sporadic Colorectal Cancer and its Clinical Significance Scientific Reports 2019-05-02 [PMID: 31048714] (IHC-P, Human)

Chimote Aa, Gawali Vs, Newton Hs et Al. A Compartmentalized Reduction in Membrane-Proximal Calmodulin Reduces the Immune Surveillance Capabilities of CD8+ T Cells in Head and Neck Cancer Front Pharmacol. [PMID: 32184726] (IF, Human)

van Esch EM, van Poelgeest MI, Kouwenberg S et al. Expression of coinhibitory receptors on T cells in the microenvironment of usual vulvar intraepithelial neoplasia is related to proinflammatory effector T cells and an increased recurrence-free survival. Int. J Cancer. 2014-09-15 [PMID: 25220367]



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NB100-65729**

---

NBL1-08980	CD8 Overexpression Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB7539	Goat anti-Mouse IgG (H+L) Secondary Antibody [HRP]
NBP2-27231	Mouse IgG2b Isotype Control (MPC-11)

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NB100-65729](http://www.novusbio.com/reviews/submit/NB100-65729)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

