

Product Datasheet

Nup53 Antibody - BSA Free

NB100-93322

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Reviews: 1 Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB100-93322

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB100-93322



NB100-93322

Nup53 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Description	Novus Biologicals Rabbit Nup53 Antibody - BSA Free (NB100-93322) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. Anti-Nup53 Antibody: Cited in 2 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	129401
Gene Symbol	NUP35
Species	Human, Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residue 276 and 376 of human nucleoporin 35kDa using the numbering given in entry NP_612142.2 (GeneID 129401).

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:500 - 1:2000, Immunocytochemistry/ Immunofluorescence 1:250- 1:1000, Immunoprecipitation 2 - 10 ug/mg lysate, Immunohistochemistry-Paraffin 1:500 - 1:2000
Application Notes	Epitope retrieval with citrate buffer pH 6.0 is recommended for FFPE tissue sections. Nup53 antibody validated for ICC/IF from a verified customer review.




Images


Western Blot: Nup53 Antibody [NB100-93322] - Whole cell lysate (50 ug) from HeLa, 293T, and mouse NIH3T3 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-NUP35 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.




Immunocytochemistry/Immunofluorescence: Nup53 Antibody [NB100-93322] - Showing nuclear co-localization with p300 in PANC-1 cells using anti-Nup53 antibody (green). Image submitted by a verified customer review.



Immunohistochemistry-Paraffin: Nup53 Antibody [NB100-93322] - Sample: FFPE section of human colon carcinoma. Antibody: Affinity purified rabbit anti- NUP35 used at a dilution of 1:1,000 (1ug/ml). Detection: DAB



Immunoprecipitation: Nup53 Antibody [NB100-93322] - Detection of human NUP35 by western blot of immunoprecipitates. Samples: Whole cell lysate (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-NUP35 antibody NB100-93322 (lot NB100-93322-2) used for IP at 6 ug per reaction. NUP35 was also immunoprecipitated by a previous lot of this antibody (lot NB100-93322-1) and another rabbit anti-NUP35 antibody. For blotting immunoprecipitated NUP35, NB100-93322 was used at 0.4 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Publications

Moschonas GD, Delhaye L, Cooreman R, Hüsters F et Al. MX2 forms nucleoporin-comprising cytoplasmic biomolecular condensates that lure viral capsids Cell Host Microbe 2024-10-10 [PMID: 39389033]

Rossi A, Coum A, Madelenat M, et al. Neural stem cells alter nucleocytoplasmic partitioning and accumulate nuclear polyadenylated transcripts during quiescence bioRxiv 2021-01-07 (WB)

Funakoshi T, Clever M, Watanabe A et al. Localization of Pom121 to the inner nuclear membrane is required for an early step of interphase nuclear pore complex assembly. Mol Biol Cell 2011-04-01 [PMID: 21289085]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB100-93322

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB100-93322

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

