

Product Datasheet

SCAP2 Antibody NB110-40659

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB110-40659

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB110-40659



NB110-40659

SCAP2 Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA


Product Description	
Description	Novus Biologicals Goat SCAP2 Antibody (NB110-40659) is a polyclonal antibody validated for use in WB and ELISA. Anti-SCAP2 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	8935
Gene Symbol	SKAP2
Species	Human
Immunogen	Peptide with sequence C-GLVPKAYIMEMYDI corresponding to C-Terminus according to NP_003921.2.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.5 - 2 ug/ml, Peptide ELISA Detection limit 1:32000
Application Notes	WB: Approx. 38 kDa band observed in Jurkat lysates (calculated MW of 41.2 kDa band according to NP_003921.2). In transfected HEK293 transiently expressing SKAP2 a band of approx. 45 kDa is observed. This band is not observed in the non-transfected HEK293. The calculated An additional band of unknown identity was also consistently observed in Jurkat at 28 kDa. This band was successfully blocked by incubation with the immunizing peptide.




Images

Western Blot: SCAP2 Antibody [NB110-40659] - Analysis of SCAP2 in Jurkat lysate (35ug protein in RIPA buffer) using this antibody at 0.5ug/ml. Primary incubation was 1 hour. Detected by chemiluminescence.



Western Blot: SCAP2 Antibody [NB110-40659] - HEK293 overexpressing SKAP2 and probed with (mock transfection in first lane).



Publications

Takahashi T, Yamashita H, Nagano Y et al. Identification and characterization of a novel Pyk2/related adhesion focal tyrosine kinase-associated protein that inhibits alpha-synuclein phosphorylation. *J Biol Chem* 2003-10-24 [PMID: 12893833]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB110-40659

NBL1-15988	SCAP2 Overexpression Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB110-40659

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



