

Product Datasheet

Complement Component C1qA Antibody (7H8) NB200-539

Unit Size: 0.05 mg

Store at 4C.

www.novusbio.com



technical@novusbio.com

Publications: 7

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB200-539

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB200-539



NB200-539

Complement Component C1qA Antibody (7H8)

Product Information

Unit Size	0.05 mg
Concentration	0.1 mg/ml
Storage	Store at 4C.
Clonality	Monoclonal
Clone	7H8
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Protein G purified
Buffer	0.2 um filtered solution in PBS and 0.1% BSA

Product Description


Description	Novus Biologicals Rat Complement Component C1qA Antibody (7H8) (NB200-539) is a monoclonal antibody validated for use in IHC and ICC/IF. Anti-Complement Component C1qA Antibody: Cited in 7 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rat
Gene ID	712
Gene Symbol	C1QA
Species	Mouse
Immunogen	Unfortunately, this information is considered to be commercially sensitive

Product Application Details

Applications	Immunoassay, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen
Recommended Dilutions	Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500, Immunohistochemistry-Frozen 1:10, Immunoassay
Application Notes	IHC-Fr: 4% PFA fixed and sucrose infiltrated frozen tissue. 18h 4C, 0.133 ug/ml 7H8. IA: Antibody 7H8 can be used as capture and detection antibody. To detect bound C11, 1/100 diluted 7H8 was used. Dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50.

Images

Immunocytochemistry/Immunofluorescence: Complement Component C1qA Antibody (7H8) [NB200-539] - staining C1q (green) in human SHSY5Y cells by ICC/IF (Immunocytochemistry/immunofluorescence).



2014 Abcam

Publications

Ibrahim T, Wu P, Wang LJ et al. Sex-dependent differences in the genomic profile of lingual sensory neurons in naïve and tongue-tumor bearing mice *Scientific Reports* 2023-08-12 [PMID: 37573456]

Ibrahim T, Wu P, Wang LJ et al. Sex-dependent Differences in the Genomic Profile of Lingual Sensory Neurons in Naïve and Tongue-Tumor Bearing Mice *bioRxiv* : the preprint server for biology 2023-05-14 [PMID: 36711730] (IHC-Fr, Mouse)

Ankeny, D et al. B cells produce pathogenic antibodies and impair recovery after spinal cord injury in mice. *J Clin Invest* , 119: 2990. 2009-01-01 [PMID: 19770513]

Abbitt, K et al. Antibody ligation of murine Ly-6G induces neutropenia, blood flow cessation, and death via complement-dependent and independent mechanisms. *J Leukoc Biol* , 85: 55. 2009-01-01 [PMID: 18927400]

Kang, Y et al. A Dominant Complement Fixation Pathway for Pneumococcal Polysaccharides Initiated by SIGN-R1 Interacting with C1q. *Cell* , 125: 47. 2006-01-01 [PMID: 16615889]

Suresh_m et al. Role of the property of C-Reactive Protein to activate the classical pathway of complement in protecting mice from pneumococcal infection. *J Immunol* , 176: 4369. 2006-01-01 [PMID: 16547275]

Zachrau, B et al. Antigen localization within the splenic marginal zone restores humoral immune response and IgG class switch in complement C4-deficient mice. *Int Immunol* , 16: 1685. 2004-01-01 [PMID: 15477230]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB200-539

HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]
F0105B	Goat anti-Rat IgG Secondary Antibody [Phycoerythrin]
DDXCR01	Rat IgG1 Isotype Control
210-TA-005	TNF-alpha [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB200-539

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications