

Product Datasheet

Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody - BSA Free NB21-1202

Unit Size: 0.05 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB21-1202

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB21-1202



NB21-1202

Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody - BSA Free


Product Information	
Unit Size	0.05 mg
Concentration	0.91 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS and 30% Glycerol
Target Molecular Weight	15 kDa
Product Description	
Description	Novus Biologicals Rabbit Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody - BSA Free (NB21-1202) is a polyclonal antibody validated for use in WB, ICC/IF and CHIP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	126961
Gene Symbol	H3C14
Species	Human, Mouse, C. elegans
Reactivity Notes	Predicted to react with many species including rat, chicken, Xenopus, Drosophila, and plant based on 100% sequence homology.
Immunogen	This Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] antibody was raised against synthetic symmetric dimethylated/dimethylated peptide surrounding Arginine 2 / Lysine 4 of human Histone H3.2 [Swiss Prot# Q71DI3].
Notes	Epi-Plus antibody production in collaboration with Rockland Immunochemicals Inc.
Product Application Details	
Applications	Western Blot, Dot Blot, Immunocytochemistry/ Immunofluorescence, Chromatin Immunoprecipitation (ChIP)
Recommended Dilutions	Western Blot 1:500, Immunocytochemistry/ Immunofluorescence 1:100, Dot Blot 1:1000, Chromatin Immunoprecipitation (ChIP) 2-5 ug per million cells
Application Notes	This Histone H3 R2sym-me2/K4me2 antibody is useful for ChIP, ICC/IF, Dot Blot, and Western Blot where a band is seen at ~15 kDa in NIH 3T3 histone prep and C. elegans embryo lysate.

Images


Western Blot: Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody [NB21-1202] - Analysis of Histone H3 R2me2s/K4Me2 in *C. elegans* embryo lysate. Observed molecular weight is ~13 kDa.




Chromatin Immunoprecipitation: Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody [NB21-1202] - Chromatin from one million formaldehyde cross-linked HeLa cells was used with 2ug of NB21-1202 and 20ul of magnetic IgG beads per immunoprecipitation. A no antibody (No Ab) control was also used. Immunoprecipitated DNA was quantified using quantitative real-time PCR and SYBR green dye, then normalized to the non-precipitated input chromatin, which is equal to one.



Dot Blot: Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody [NB21-1202] - Analysis of H3R2me2s/K4Me2 in picomoles of peptide. Lanes (1) R2Me2 only, (2) Both Modifications, and (3) K4Me2.




Immunocytochemistry/Immunofluorescence: Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody [NB21-1202] - Histone H3.2 R2me2s/K4me2 antibody was tested in HeLa cells with FITC (green). Nuclei and alpha-tubulin were counterstained with DAPI (blue) and DyLight 594 (red).



Western Blot: Histone H3 [Dimethyl Lys4, Sym-dimethyl Arg2] Antibody [NB21-1202] - Analysis of Histone R2 in NIH 3T3 histone preps.

Observed molecular weight is ~15 kDa.



Publications

Fishman J, Homon A, Lamsa E et al The Complete Chemical Synthesis of Histones H3 H4 Containing Epigenetic Modifications Their Use in Characterizing Arginine Methylated Histone Antibodies Poster presented at ASCB 21st Century Biochemicals, Marlborough, MA 01752, Novus Biologicals, LLC, 8100 Southpark Way, Littleton, CO 80120. The Complete Chemical Synthesis of Histones H3 and H4 Containing Epigenetic Modifications and Their Use in Characterizing Arginine Methylated Histone Antibodies. Poster presented at ASCB 21st Century Biochemicals, Marlborough, MA 01752, Novus Biologicals, LLC, 8100 Southpark Way, Littleton, CO 80120.



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB21-1202

NB21-1202PEP	Histone H3 [Sym-dimethyl Arg2, Dimethyl Lys4] Antibody Blocking Peptide
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB21-1202

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



