

Product Datasheet

Tyrosine Hydroxylase [p Ser31] Antibody - Azide Free NB300-211

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 8

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB300-211

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB300-211



NB300-211**Tyrosine Hydroxylase [p Ser31] Antibody - Azide Free**

Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	10 mM HEPES (pH 7.5), 0.15 M NaCl, 0.1 mg/mL BSA, 50% Glycerol
Target Molecular Weight	60 kDa


Product Description	
Description	Novus Biologicals Rabbit Tyrosine Hydroxylase [p Ser31] Antibody - Azide Free (NB300-211) is a polyclonal antibody validated for use in IHC, WB and ICC/IF. Anti-Tyrosine Hydroxylase Antibody: Cited in 8 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7054
Gene Symbol	TH
Species	Human, Mouse, Rat
Reactivity Notes	Use in Human reported in scientific literature (PMID:32796843).
Marker	Neuronal Marker
Specificity/Sensitivity	Specific for endogenous levels of the ~60 kDa tyrosine hydroxylase protein phosphorylated at Ser31.
Immunogen	Synthetic phospho-peptide corresponding to amino acid residues surrounding Tyrosine Hydroxylase conjugated to KLH. Accession # P04177

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry 1:1000, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen 1:1000

Images

Western Blot: Tyrosine Hydroxylase [p Ser31] Antibody [NB300-211] - PC-12 cells incubated in the absence (Control) and presence of okadaic acid (OA, 1 uM for 60 min) showing specific immunolabeling of the ~60 kDa TH phosphorylated at Ser31.

Anti-Phospho Ser³¹ Tyrosine Hydroxylase



Okadaic Acid - +

Publications

Tibenderana RM, Blumenthal MJ, Bukajumbe E et al. Clinical Significance of Elevated KSHV Viral Load in HIV-Related Kaposi's Sarcoma Patients in South Africa *Viruses* 2024-01-26 [PMID: 38399965]

Chew Y, Chung H, Lin P et al. Outer Membrane Vesicle Production by *Helicobacter pylori* Represents an Approach for the Delivery of Virulence Factors CagA, VacA and UreA into Human Gastric Adenocarcinoma (AGS) Cells *International Journal of Molecular Sciences* 2021-04-11 [PMID: 33920443] (WB)

Katila N, Bhurtel S, Park PH et al. Activation of AMPK/aPKC zeta/CREB pathway by metformin is associated with upregulation of GDNF and dopamine *Biochem. Pharmacol.* 2020-01-01 [PMID: 32800853] (WB, Mouse)

Tao H, Huang J, Yancey PG et al. Scavenging of reactive dicarbonyls with 2-hydroxybenzylamine reduces atherosclerosis in hypercholesterolemic Ldlr^{-/-}-mice *Nat Commun* 2020-08-16 [PMID: 32796843] (WB, Human)

Liu, J, Takase, I, Hakucho, A et al. Carvedilol Attenuates the Progression of Alcohol Fatty Liver Disease in Rats *Alcoholism: Clinical and Experimental Research* 2012-01-01 [PMID: 22413959] (WB, Rat)

Witkovsky P, Gabriel R, Haycock JW et al. Influence of light and neural circuitry on tyrosine hydroxylase phosphorylation in the rat retina. *J Chem Neuroanat.* 2000-06-01 [PMID: 10936746]

Salvatore, MF et al. Stoichiometry of tyrosine hydroxylase phosphorylation in the nigrostriatal mesolimbic systems in vivo: effects of acute haloperidol related compounds. *J Neurochem*, 75: 225-232. 2000-01-01 [PMID: 10854265]

Xu, ZQ et al. Immunohistochemical studies on phosphorylation of tyrosine hydroxylase in central catecholamine neurons using site- phosphorylation state-specific antibodies. *Neurosci*, 82: 727-738. 1998-01-01 [PMID: 9483531]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB300-211

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-211

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

