

Product Datasheet

PDE5A Antibody NB300-957

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB300-957

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB300-957



NB300-957

PDE5A Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Target Molecular Weight	100 kDa


Product Description	
Description	Novus Biologicals Goat PDE5A Antibody (NB300-957) is a polyclonal antibody validated for use in WB and ELISA. Anti-PDE5A Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Gene ID	8654
Gene Symbol	PDE5A
Species	Human
Specificity/Sensitivity	This antibody is expected to recognise reported isoforms NP_001074.2, NP_236914.2 and NP_246273.2.
Immunogen	Peptide with sequence C-LINGESGQAKRN corresponding to C-Terminus according to NP_001074.2, NP_246273.2, NP_236914.2, NP_237223.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 0.3 - 1 ug/ml, Peptide ELISA Detection limit 1:16000
Application Notes	WB: Approx. 100 kDa band observed in human lung lysates (calculated MW of 100 kDa band according to isoform 1, NP_001074.2). In transfected HEK293 transiently expressing PDE5A isoform 2 a band of approx. 95 kDa is observed. This band is not observed in the non-transfected HEK293 (calculated MW of 94.8 kDa band according to isoform 2, NP_236914.2).




Images

Western Blot: PDE5A Antibody [NB300-957] - HEK293 overexpressing PDE5A and probed with (mock transfection in first lane).



Western Blot: PDE5A Antibody [NB300-957] - (0.3ug/ml) of human lung lysate (RIPA buffer, 30ug total protein per lane). Primary incubated for 1 hour. Detected by western blot using chemiluminescence.



Publications

Morelli A, Filippi S, Mancina R et al. Androgens regulate phosphodiesterase type 5 expression and functional activity in corpora cavernosa. *Endocrinology* 2004-05-01 [PMID: 14764637]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB300-957

NBL1-14225	PDE5A Overexpression Lysate
NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB300-957

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



