

Product Datasheet

TRPM2 Antibody - BSA Free

NB500-242

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB500-242

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB500-242



NB500-242

TRPM2 Antibody - BSA Free

Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)


Product Description	
Description	Novus Biologicals Rabbit TRPM2 Antibody - BSA Free (NB500-242) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. Anti-TRPM2 Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	7226
Gene Symbol	TRPM2
Species	Human, Rat
Reactivity Notes	Rat reactivity reported in (PMID: 21900507).
Immunogen	The immunogen recognized by this antibody maps to a region between residue 650 and 700 of human Transient Receptor Potential Cation Channel, Subfamily M, Member 2 using the numbering given in entry NP_003298.1 (GeneID 7226).

Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation
Recommended Dilutions	Western Blot 1:2000-1:10000, Immunohistochemistry 1:50, Immunocytochemistry/ Immunofluorescence 1:50, Immunoprecipitation 2-10 ug/mg lysate, Immunohistochemistry-Frozen 1:50
Application Notes	IHC-Frozen, ICC/IF reactivity reported in (PMID: 21900507).




Images

Western Blot: TRPM2 Antibody [NB500-242] - Samples: Jurkat Membrane Prep (50, 15, 5 ug). Antibody: Affinity purified rabbit anti-TRPM2 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 minutes.



Immunoprecipitation: TRPM2 Antibody [NB500-242] - Samples: Membrane Prep (0.5 or 1.0 mg per IP reaction; 20% of IP loaded) from Jurkat cells. Antibodies: Affinity purified rabbit anti-TRPM2 antibody NB500-242 used for IP at 6 ug per reaction. TRPM2 was also immunoprecipitated by rabbit anti-TRPM2 antibody NB500-241. For blotting immunoprecipitated TRPM2, NB500-242 was used at 1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Publications

Olah ME, Jackson MF, Li H et al. Ca²⁺-dependent induction of TRPM2 currents in hippocampal neurons. *J Physiol* 2009-03-01 [PMID: 19124544]

Partida-Sanchez, S et al. Chemotaxis of Mouse Bone Marrow Neutrophils Dendritic Cells is Controlled by ADP-Ribose, the Major Product Generated by the CD38 Enzyme Reaction. *J Immunol*; 179: 7827-7839. 2007-12-01 [PMID: 18025229]

Chung KK, Freestone PS, Lipski J. Expression and functional properties of TRPM2 channels in dopaminergic neurons of the substantia nigra of the rat. *J Neurophysiol*;106(6):2865-75. 2011-12-01 [PMID: 21900507] (ICC/IF, IHC-Fr, Rat)

Anelli VV, Gault CR, Cheng AB, Obeid LM. Sphingosine kinase 1 is up-regulated during hypoxia in U87MG glioma cells: Role of hypoxia-inducible factors 1 2. *J Biol Chem* 2007-11-30 [PMID: 18055454]



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB500-242

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-242

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

