

Product Datasheet

MAP2 Antibody (MT-01) - BSA Free NB500-415

Unit Size: 0.1 mg

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB500-415

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB500-415



NB500-415**MAP2 Antibody (MT-01) - BSA Free****Product Information**

Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Monoclonal
Clone	MT-01
Preservative	15mM Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	Phosphate buffered saline (PBS), pH 7.4
Target Molecular Weight	199 kDa

Product Description


Description	Novus Biologicals Mouse MAP2 Antibody (MT-01) - BSA Free (NB500-415) is a monoclonal antibody validated for use in WB, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	4133
Gene Symbol	MAP2
Species	Human, Mouse, Porcine, Bovine, Feline
Reactivity Notes	Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information.
Marker	Neuronal Dendritic Marker
Specificity/Sensitivity	The antibody MT-01 reacts with molecule Microtubule Associated Protein 2ab (MAP2ab).
Immunogen	MAP2 Antibody (MT-01) was developed against the thermostable fraction of bovine brain microtubules (whole MAP2ab molecule).

Product Application Details

Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000, Immunocytochemistry/ Immunofluorescence 1:10-1:2000, Immunoprecipitation 1:50

Images

Western Blot: MAP2 Antibody (MT-01) [NB500-415] - Fig. 1. Western Blotting analysis (reducing conditions) of microtubules partially purified from porcine brain lysate. Lane 1: immunostaining with anti-MAP2ab (MT-01) Lane 2: immunostaining with anti-MAP2ab (MT-07) Lane 3: immunostaining with anti-MAP2ab (MT-08). Observed molecular weight is approximately 270 kDa.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB500-415

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NB500-415UV	MAP2 Antibody (MT-01) [DyLight 350]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB500-415

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications