

Product Datasheet

FGFR3 Antibody NB600-1509

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-1509

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB600-1509



NB600-1509

FGFR3 Antibody

Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	10mM PBS (pH 7.4) and 1.0% BSA


Product Description	
Description	Novus Biologicals Rabbit FGFR3 Antibody (NB600-1509) is a polyclonal antibody validated for use in IHC and WB. Anti-FGFR3 Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	2261
Gene Symbol	FGFR3
Species	Human
Reactivity Notes	Cross-reacts with Human. Not yet tested in other species.
Specificity/Sensitivity	Does not react with human FGFR1 or FGFR2.
Immunogen	Synthetic peptide: KDLLPPAPPSSGGSRT, corresponding to amino acids 792-806 of the cytoplasmic region of Human FGFR3 with N-terminal added lysine.

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:1000, Immunohistochemistry 1:250, Immunohistochemistry-Paraffin 1:250




Images

Western Blot: FGFR3 Antibody [NB600-1509] - Western blot analysis of apoptotic markers following 24 and 48 hrs of selenite (5 μ M), GS-Se-SG (5 μ M) and Se-DL-cystine (100 μ M) treatment. Image collected and cropped by CiteAb from the following publication (onlinelibrary.wiley.com/doi/full/10.1111/jcmm.12214), licensed under a CC-BY license.



Western Blot: FGFR3 Antibody [NB600-1509] - (A) Western blot analysis of apoptotic markers following 24 & 48 hrs of selenite (5 μ M), GS-Se-SG (5 μ M) & Se-DL-cystine (100 μ M) treatment. (B) Western blot analysis of autophagic & ER stress markers, evaluated after 1, 3, 6 & 18 hrs of treatment with selenite (5 μ M), GS-Se-SG (5 μ M) & Se-DL-cystine (100 μ M). (C) Acridine orange staining of cells after 12 hrs of treatment with selenite (5 μ M), GS-Se-SG (5 μ M) & Se-DL-cystine (100 μ M) (magnification 40 \times). (D) High-resolution transmission electron microscopy micrographs of control & 24 hrs Se-DL-cystine-treated cells, showing the presence of autophagosome, as evident from double-layered membrane structure with inclusion bodies. (E) Western blot detection of ubiquitinated proteins after treatments with different selenium compounds (similar doses as previous) for 6 hrs. Five microgram cell lysate was loaded into each lane. The lane intensity was analysed by using Adobe Photoshop program (version CS5). β -actin was used as a loading control (Fig. 4A & B). C: Control; 1: selenite; 2: GS-Se-SG; 3: Se-DL-cystine. Image collected & cropped by CiteAb from the following publication (<https://pubmed.ncbi.nlm.nih.gov/24400844>), licensed under a CC-BY license. Not internally tested by Novus Biologicals.



Publications

Wallenberg M, Misra S, Wasik AM et al. Selenium induces a multi-targeted cell death process in addition to ROS formation. *J Cell Mol Med* 2014-01-08 [PMID: 24400844] (WB, Human)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB600-1509

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-1509

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

