

Product Datasheet

c-Maf Antibody - BSA Free NB600-267

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Publications: 6

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-267

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB600-267



NB600-267

c-Maf Antibody - BSA Free


Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)

Product Description	
Description	Novus Biologicals Rabbit c-Maf Antibody - BSA Free (NB600-267) is a polyclonal antibody validated for use in WB. Anti-c-Maf Antibody: Cited in 6 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	4094
Gene Symbol	MAF
Species	Mouse
Immunogen	The immunogen recognized by this antibody maps to a region between residue 150 and 200 of mouse v-maf musculoaponeurotic fibrosarcoma oncogene homolog (c-Maf) using the numbering given in entry NP_001020748.2 (GeneID 17132).

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:1000-1:10000

Images

Western Blot: c-Maf Antibody [NB600-267] - Nuclear extract (6 ug) from HeLa cells transfected with empty vector or expression constructs for mouse MafA, mouse MafB or mouse cMaf. Antibody used at 0.4 ug/ml.



Publications

Worthy AE, Anderson JT, Lane AR et al. Spinal V1 inhibitory interneuron clades differ in birthdate, projections to motoneurons, and heterogeneity *Elife* 2024-11-28 [PMID: 39607843]

Xie Q, Cvekl A. The orchestration of mammalian tissue morphogenesis through a series of coherent feed-forward loops. *J Biol Chem* 2011-12-01 [PMID: 21998302]

Katz LS, Gosmain Y, Marthinet E et al. Pax6 regulates the proglucagon processing enzyme PC2 and its chaperone 7B2. *Mol Cell Biol* 2009-04-01 [PMID: 19223471]

Gosmain Y, Avril I, Mamin A et al. Pax-6 and c-Maf functionally interact with the alpha-cell-specific DNA element G1 in vivo to promote glucagon gene expression. *J Biol Chem* 2007-11-01 [PMID: 17901057]

Nishimura W, Kondo T, Salameh T et al. A switch from MafB to MafA expression accompanies differentiation to pancreatic beta-cells. *Dev Biol* 2006-05-01 [PMID: 16580660]

Cao S, Liu J, Song L et al. The protooncogene c-Maf is an essential transcription factor for IL-10 gene expression in macrophages. *J Immunol* 2005-03-01 [PMID: 15749884]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB600-267

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-267

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

