

Product Datasheet

Glu-Glu Epitope Tag Antibody - BSA Free NB600-353

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-353

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NB600-353



NB600-353**Glu-Glu Epitope Tag Antibody - BSA Free**

Product Information	
Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS


Product Description	
Description	Novus Biologicals Goat Glu-Glu Epitope Tag Antibody - BSA Free (NB600-353) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF and IP. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Goat
Species	Epitope Tag
Immunogen	Goats were immunized with a synthetic peptide representing amino acid residues 314 - 319 (EYMPME) of middle T antigen of mouse polyomavirus conjugated to KLH.

Product Application Details	
Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:30000, ELISA 1:1000 - 1:30000, Immunocytochemistry/ Immunofluorescence 1:100-1:400, Immunoprecipitation




Images

Western Blot: Glu-Glu Epitope Tag Antibody [NB600-353] - Samples: 200, 100, or 50 ng of *E. coli* whole cell lysate expressing a multi-tag fusion protein. Antibodies: Affinity purified, goat anti-Glu-Glu antibody used for WB at 0.2 $\mu\text{g}/\text{ml}$ (1:5,000). Detection: Chemiluminescence with an exposure time of 30 seconds.



Western Blot: Glu-Glu Epitope Tag Antibody [NB600-353] - Analysis using the HRP conjugate of NB600-353. Detection of 200, 100, or 50 ng of *E. coli* whole cell lysate expressing a multi-tag fusion protein. Antibody used at 0.2 $\mu\text{g}/\text{ml}$ (1:5,000).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB600-353

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-353

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



