Product Datasheet

S-Tag Epitope Tag Antibody - BSA Free
NB600-511

Unit Size: 0.1 ml

Store at 4C. Do not freeze.

www.novusbio.com technical@novusbio.com

Publications: 4

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NB600-511

Updated 9/9/2025 v.20.1



NB600-511

S-Tag Epitope Tag Antibody - BSA Free

Product Information

Unit Size	0.1 ml
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS

Product Description

Description	Novus Biologicals Rabbit S-Tag Epitope Tag Antibody - BSA Free (NB600-511) is a polyclonal antibody validated for use in WB, ELISA, ICC/IF and IP. Anti-S-Tag Epitope Tag Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Species	Epitope Tag
Immunogen	Rabbits were immunized with S-Tag (KETAAAKFERQHMDS) conjugated to KLH. Antibody was isolated by affinity chromatography using the peptide immobilized on solid support.

Product Application Details

Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:30000, ELISA Primary-1:1000-1:30000; Coating: 1:100-1:500, Immunocytochemistry/ Immunofluorescence 1:100-1:400, Immunoprecipitation 1 - 4 ug/mg lysate

Images

Western Blot: S-Tag Epitope Tag Antibody [NB600-511] - 200, 100, or 50 ng of E. coli whole cell lysate expressing a multi-tag fusion protein. Antibody used at 0.04 ug/ml (1:25,000).



Publications

Joshua A. Mettlach, Melina B. Cian, Medha Chakraborty, Zachary D. Dalebroux, George O'Toole Signaling through the Salmonella PbgA-LapB regulatory complex activates LpxC proteolysis and limits lipopolysaccharide biogenesis during stationary-phase growth Journal of Bacteriology 2024-04-01 [PMID: 38534107]

Kitamura N, Fujiwara N, Hayakawa K Et al. Protein phosphatase 6 promotes neurite outgrowth by promoting mTORC2 activity in N2a cells Journal of biochemistry 2021-07-26 [PMID: 34314486]

Fujiwara N, Shibutani S, Ohama T, Sato K Protein phosphatase 6 dissociates the Beclin 1/Vps34 complex and inhibits autophagy Biochemical and biophysical research communications 2021-03-19 [PMID: 33751937] (IP, WB)

Hayashi MT, Takahashi TS, Nakagawa T et al. The heterochromatin protein Swi6/HP1 activates replication origins at the pericentromeric region and silent mating-type locus. Nat Cell Biol 2009-03-01 [PMID: 19182789]

Novus Biologicals USA
10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada
21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd
19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information
www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NB600-511

NBP2-33376H	Blue Marker Antibody (6F4-F6) [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NB600-511

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications